




1. Shut off power before installation.
2. Feed the main wire through the top central body, central tubing, cluster body and the side hole of the nut.
3. Insert the light arms with wires into the cluster body and fix with washers and nuts. Attach the upper ends of light arms to fixing bracket on the central tubing with screws. Then, connect wires to wires in the same color.
4. Connect the wire bundles with wire connectors to the main wires in the same color and screw in the cover.




11. Fix the mounting strap to ceiling.
12. Feed the main wire through the chain connector, chain, mounting rod and canopy.
13. Connect wires with wire connectors to the corresponding wires in ceiling.
14. Hang the canopy to the mounting strap and tighten the screws.
15. Install the light bulbs (not included with the light fixture) and turn on the power.



5. Put the central tubing with light arms into one metal ring and put on the other metal ring crisscrossing the former one. Then, fix with screws.
6. Install the metal straps onto the central tubing surrounding the metal rings. Fix one ends of the metal straps to the upper round plate and the other ends to the bottom one with screws and nuts. Then, secure the metal rings to the metal straps with screws.



7. Install the long slats onto the central body. Insert one ends of the long slats into the top central body and the other ends into the bottom one and fix with set screws using an Allen key.
8. Install short slats between every two long slats. Place metal brackets on both sides of the long slats. Attach the short slats to the metal brackets and secure with screws and cap nuts.



A: $5 \times (1 \text{ bead} + 1 \text{ pendeloque}) = 10 \text{ strings}$


B: $5 \times (7 \text{ bead} + 1 \text{ pendeloque}) = 5 \text{ strings}$

C: $5 \times (11 \text{ bead}) = 5 \text{ strings}$

D: (Crystal ball) = 1 string

9. Hang the crystal strings (A, B) onto the font and light arms according to the diagram.

10. Hang one end of crystal string C onto one light arm and the other end onto the next light arm.



11. Fix the mounting strap to ceiling.
12. Feed the main wire through the chain connector, chain, mounting rod and canopy.
13. Connect wires with wire connectors to the corresponding wires in ceiling.
14. Hang the canopy to the mounting strap and tighten the screws.
15. Install the light bulbs (not included with the light fixture) and turn on the power.