

KINGJOY
Enjoy Your Life



Guangdong KINGJOY Technology Co., Ltd.



Company Profile

Guangdong KINGJOY Technology Co., Ltd. was founded in 2004, which specializing in the development and production of photographic & video equipment and accessories about imaging & video industry. The main products include tripod, stabilizer, live streaming equipment and smart products. The enterprise vision of "Kingjoy intelligent manufacturing, create a hundred years" is the driving force for Kingjoy to become the world's leading photographic products. The company has strong R&D strength, with a large number of experienced R&D technical personnel, can meet the changing market technology and consumer demand, to create high-quality and reliable products.



Kingjoy has rich experience in cooperating with international famous brands and has business all over the world. Under the brand "KINGJOY" and "AFI"



15 branches, 40 international trademarks, 190 intellectual property rights, more than 1000 employees, products are sold to more than 50 countries and regions in the world, Kingjoy to an international brand image to the world.

The company has 50000 square meters of standardized production base, was rated as "Zhongshan Intellectual Property Advantage Enterprise" and "National HIGH-TECH Enterprise". Obtain QC080000,ISO9000,BSCI and ISO14000 certifications.


Kingjoy excellent sales team, integrity, professional, efficient for the purpose of service, 7X24 "all-day sales and after-sales service, to provide global customers with assured service experience.

Business philosophy-To become the domestic and even the world's outstanding photographic camera equipment manufacturer

Enterprise vision- Kingjoy intelligent manufacturing, create a hundred years

Core values - Integrity, responsibility, service, meticulousness, innovation

Enterprise mission- Common achievement, innovation and development



R&D \ Focus on quality \ System guarantee \ Integrity and win-win

SOURCE FACTORY

KINGJOY Smart Manufacturing Enjoy Your Life



Catalogue

Photo Tripod

- 002 Solid Rock Series Carbon Fiber Professional Tripods
- 004 Solid Rock Series Camouflage Professional Tripods
- 006 "Aurora" Patented Professional Photo/ Video Tripod
- 008 G Series Travel Tripod
- 010 "Joy of Swift" Smart Phone Tripod
- 011 BT series Agile multifunctional tripod
- 013 "Scenery Photo Mate" Travel Tripod Kits with Ball Head
- 014 "Joy of King" Pro Tripod Kits with Ball Head
- 015 "Joy of Landscape" Pro Tripod Kits with Ball Head
- 016 "Joy of Shooting " Heavy Duty Pro Tripod
- 017 "Joy of Verstability" Lateral Tripod

Video Tripod

- 018 VT Series Allnew Flip Tripods VTS Lightweight Video Tripod
- 020 VT Series Live Video Tripod
- 022 VT Series Heavy-duty Video Tripods
- 023 VT Series Light Video Tripod Kits
- 025 K Series Heavy Camera Tripod

Live Streaming Light Stand

- 026 Live Streaming Light Stand - Flip Lock
- 028 Live Streaming Light Stand - Eccentric Tube Knob
- 029 Live Streaming Light Stand - Allnew Flip Knob
- 030 Live Streaming Light Stand - Knob Locking
- 031 Live Streaming Light Stand - Resistance Extraction

Monopod

- 032 "Joy of Freedom" Professional Monopod
- 034 Support Base M Series For Multi-functional Monopod
- 035 Twist Lock Monopod
- 036 Flip Lock Monopod
- 037 Free-Standing Monopod with Legs

Camcorder Accessories

- 038 VS Allnew Hand Held Stabilizer
- 039 VS Hand Held Stabilizer
- 040 VX Series Four-wheel Dolly
- 041 VX Series Dolly
- 042 Versatile Clamp Mount
- 043 MC Series Pivot Arm
- 044 VM Series Professional Mini Jib Crane
- 045 PB-75 360° Panorma Support Base
- 046 VM Series Single Slider
- 047 VM Series Double Slider
- 048 VM Series Mini Video Slider
- 049 KS Series Video Support Rig
- 050 KH Series Camera Cage Kit
- 051 H Series Boom Pole
- 052 KVS Series Video System Balance & Stable

Ball Head

- 054 B Series Ball Head
- 055 T-series Allnew high-end Ball head
- 056 T Series Low Profile Ball Head
- 057 G Series Ball Head
- 058 BD Series Mini Ball Head (Hot Shoe Adapter Option)
- 059 QA/QB Series Single Lever Ball Head
- 060 QH Series High-end Damping Ball Head
- 062 Q Series Professional Damping Ball Head
- 063 V Series Professional Ball Head
- 064 KH Series Grip Action Ball Head
- 065 LB Series Leveling Base Head

Photo/Video Head

- 066 VT Series Lightweight Video&Bird Watching Pan/Tilt Head
- 067 VT Series Dual Handle Professional Fluid Head
- 068 VT Series Professional Video & Bird Watching Pan/Tilt Head
- 070 KH Series 3-way Damping Fluid Head
- 072 KH Series Panoramic Head
- 073 KH Series Gimbal Head
- 074 KH Series Telephoto Lens Supporting Bracket

Mobile & Action Camera Accessories

- 076 Mini Table Tripod
- 078 KT Series Table Tripod
- 080 Camera Extension Selfie Stick
Kingjoy's Patented Fast-lock Design Selfie Stick
Patented 360° Rotation L Bracket Selfie Stick
Carbon Fiber Light Outdoors GoPro Camera & Smartphone Selfie Stick
- 082 Selfie Stick Series

Kingjue Classic Tripob Kits

- 083 MK series Flip Locked Tripod Kits
- 084 AK/CK Series Twist Locked Tripod Kits
- 085 FC-FA Series Courageous Professional Tripod
- 086 BT Series Lightweight Flip Locked Tripod

Accessories

- 087 LC Series Accessories
- 088 Loading Plate
Quick Release Plate
- 089 Loading Plate
Accessories

KINGJOY

Classical & Extraordinary

SOILD ROCK SERIES



10-Layer carbon fiber



Thicker legs



Max load



Low angle without
center column



CNC manufacturing
process



Panoramic head

Kingjoy SolidRock series - the preferred equipment for senior professionals.

SolidRock series tripod are one-stop carbon fiber tripods newly developed by Kingjoy Photography for professionals. This series provides a variety of advanced and stable, lightweight to select the model.

In order to meet the professional needs of further subdivision, SolidRock series customizes lightweight carbon fiber and high-strength aluminum alloy, size, load-bearing, while taking into account indoor, outdoor and professional shooting needs to design is not limited to camouflage appearance and other differences, subdivided into 8 models, can be selected according to customer needs.

On the basis of tripod, SolidRock series enhances the stable performance, lightweight processing and ease of use, showing the innovative new product technology and concept of the enterprise.

Solid Rock Series

Carbon Fiber Professional Tripods

Solid Rock series tripods are new professional tripods developed under the innovative concept of Kingjoy. It use automatic rebound design for angle adjustment. It can easily adjust the extended length & angle of the legs by gently pulling out the trigger. Each leg is capable of automatic rebound after angle adjust well, providing photographers with any angle photography needs and experiencing the convenience of professional equipment.

The leg tube adopts integrated shims, it is not only prevent the tripod featured by water-proof and dust-proof, but also make the leg tube has anti-skid. Fast and safe design, more durable in any harsh condition, it allows photographers to create more wonderful photos.



Features



Integrated Flange Plate Design

Wide adjustable low angle

Lightweight Carbon Fiber

Counter-weight Hook

Hermetic Locking Knob



Solid Rock Series Carbon Fiber Professional Tripods

Model	Material	Section	Max.Dia	Min.Dia	Working Height	Low-angle	Folded	Weight	Load
C80	carbon fiber	3	22.4	15.2	193 340	46	210	0.50	10
C81	carbon fiber	5	22.4	9	343 1193	60	375	0.74	10
C82	carbon fiber	4	26.2	15.2	400 1177	70	435	1.03	15
C83	carbon fiber	4	30	18.6	440 1310	80	490	1.39	20
C85	carbon fiber	4	34.6	22.6	520 1542	122	568	2.10	25
C86	carbon fiber	4	39	26.2	585 1805	135	640	2.42	30
C056C	carbon fiber	5	25	13	340 1180	70	362	0.64	8

The parameters of the tripod do not identify the ballhead, so the ballhead parameters are not included.

The Spirit of Nature Camouflage Tripod For Bird Photography

Camouflage Series



Camouflage Series

Camouflage Professional Tripods

Solid Rock Series

Camouflage Professional Tripods

Solid Rock camouflage tripod series is a new professional tripod developed under the concept of innovation.

The camouflage appearance makes it perfectly hidden in nature, so that the target cannot detect its presence. This product can adapt to various different environments with cold and heat resistant.

The leg tube adopts integrated shims, it is not only prevent the tripod featured by water-proof and dust-proof, but also make the leg tube has anti-skid. Fast and safe design, more durable in any harsh condition, it allows photographers to create more wonderful photos.



C86M



C85M




No center-column design

Achieve low angle shooting, open up new horizons. Abandon the traditional design of center column, strengthen its load capacity and wind resistance, innovation extension angle.



Large diameter legs

The legs are made of 10 layers of interwoven high density carbon fiber, which ensures the toughness and stability of the tripod while being lightweight.



Integrated Flange Plate

Adapt to various different environments, cold and heat resistant



Separable flange plate

Standard diameter of 75mm, change freely between bowl and flat flange plate. Compatible with Hydraulic head and Ball head.



Leg locking system

The double twist locking system is made by injected rubber and precision aluminum alloy. Rotate only 180 degree can tighten lock the leg.

Solid Rock Series Camouflage Professional Tripods

型号	Material	Section	Max.Dia	Min.Dia	Working Height	Low-angle	Folded	Weight	kg Load
C85M	carbon fiber	4	34.6	22.4	510 1540	110	560	2.16	25
C86M	carbon fiber	4	39	26.2	585 1805	135	640	2.42	30

"Aurora"

A Series Patented Professional Photo/Video Tripod

Aurora A series tripod is Kingjoy's newly developed high-end and professional tripod, which adopts the automatic rebound design, just pull the buckle lightly to adjust the leg angle easily, and the buckle will automatically reset, which will offer multi-angle adjustment for different needs, make you experience the convenience of using professional equipment.

The leg tube adopts integrated shims, it is not only prevent the tripod featured by water-proof and dust-proof, but also make the leg tube has anti-skid. Fast and safe design, more durable in any harsh condition, it allows photographers to create more wonderful photos.



A61

Features



Quick Low Angle Shooting

Adjust the tripod height by the center column locking knob for low angle macro shooting.




Buckle System

Slightly pull the buckle to achieve high/medium/low multi angle shooting, swift lock in one step, enjoy great photography experience.



Carbon Fiber

Leg tube in 10x carbon fiber material to improve toughness and reduce the tripod weight.



Counter Weight Hook

The counter weight hook design can increase the stability of the tripod, prevent it from shaking under outdoor bad weather environment.



Twist Lock

The leg owns quick and strong twist locking force. It adopts the integrated shims as leg stoppers, which make the tripod leg water proof and dust proof, it also prevent the tube from falling off. No need to concern about the leg stability during outdoor photography.



Rubber Feet

Removable rubber feet, reduce scratch of ground and increases the contact force between the tripod and the ground.



A88

"Aurora" A Series Patented Professional Photo/Video Tripod

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.load
A61+T11	Aluminum	5	22.4	9.0	1300	1110	190	348	1.43	10
A81+T11	Carbon Fiber	5	22.4	9.0	1300	1110	190	348	1.28	10
A62+T11	Aluminum	4	26.2	15.2	1590	1315	200	445	1.85	15
A82+T11	Carbon Fiber	4	26.2	15.2	1590	1315	200	445	1.56	15
A63+T21	Aluminum	4	30.0	18.6	1755	1445	210	490	2.43	18
A83+T21	Carbon Fiber	4	30.0	18.6	1755	1445	210	490	2.06	18
A65	Aluminum	3	34.6	26.2	1500	1505	120	660	2.85	25
A85	Carbon Fiber	3	34.6	26.2	1500	1500	120	660	2.36	25
A66	Aluminum	4	39.0	26.2	1555	1555	110	580	3.39	30
A86	Carbon Fiber	4	39.0	26.2	1555	1555	110	580	2.27	30
A68	Aluminum	4	44.0	30.0	1550	1550	115	585	4.20	35
A88	Carbon Fiber	4	44.0	30.0	1545	1545	115	585	3.38	35

G Series

Travel Tripod

G Series professional tripod kits, with Kingjoy's G Series ball head, which is very suitable for SLR and Mirrorless camera. It is made of 8x lightweight carbon fiber, and design with elevating center column, removable leg and swift leg lock system, etc.

Light and portable, simple operation, is suitable for outdoor photography.



G55C



Multi-function Centre Column

Allow adjust the height by twisting the center column lock, or pull out center column and the leg for combine into a monopod.



Lightweight Carbon Fiber

High strength carbon fiber material, reduce the burden of outdoor shooting.



Gear Adjustment

Geared knob design offers a speedy adjustment for shooting angle.



Detachable Leg Design

Remove the leg with sponge grip, then connect with G Series ball head, it can be used as a monopod.



Swift Leg Lock System

Ergonomic design, anti-slip and easy to rotate.



High Density Sponge

Comfortable touch feeling.



G22



G555

G Series Travel Tripod

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.load
G22+G00	Aluminum	5	22	10	1430	1245	345	360	1.16	10
G22C+G00	Carbon Fiber	5	22	10	1430	1245	345	360	1.07	10
G55+G0	Aluminum	4	25	16	1560	1310	415	425	1.39	12
G55C+G0	Carbon Fiber	4	25	16	1550	1290	420	420	1.25	12
G555+G0	Aluminum	4	25	16	1560	1290	435	440	1.35	12

"Joy of Swift" Smart Phone Tripod

Kingjoy swift light tripod is designed for fashionable photographers who like snapshots. The tripod leg is made of aluminum with anodized surface treatment. Swift tripod adopts precision CNC machining technique, not only light, but also stable and sturdy.

Kingjoy swift light tripod combines with many professional exclusive patented designs, upgraded structures of tripod body, tripod leg, tripod center column and ball head. It is a lightweight, swift, sturdy, portable, professional, fashionable and multi-functional tripod.

Kingjoy swift light tripod is outstanding in the shooting height, stability and versatile aspects. It is absolutely a popular choice for freelance photographers and trend travelers.



Features

Selfie Stick + Live Stand + Multifunctional Tripod

The center column adopts the inner eccentric structure design, and can be converted to live stand. Detachable center column can also be used as a selfie stick.

Lightweight and Strong Leg Design

KINGJOY adopts high strength and lightweight body, not only strong and stable, but can quickly 180° reflexes for easy storage.

Button Type Adjusting Lock

Fully automatic button type angle adjustment button, more convenient and fast.

Patent Eccentric Leg Structure (Patent No.: 2015205855059)

Tripod leg fast locking system, exclusive eccentric tube structure patent of KINGJOY.

Upgraded Ball Head

360° panorama & easier locking & faster snapping.

Gorgeous and Fashionable colors

Matte Black, Pink Gold, Yellow Gold, Personalized Choice for You.



SF046



SF058

SC058

SF048

Agile series multifunctional tripod

Multifunctional panoramic head design

(KINGJOY) lightweight tripod set, one of the lightweight tripods in the Agile series, the center column can be detached and extended as a selfie stick, and travel photography is free.



P056C



P056S



"Joy of Swift" Smart Phone Tripod

Model	Leg lock	Max. Diameter	Section	Center Column Section	Extended	Folded	Weight	Max. load
P056	Eccentric	22	5	2	1517	308	0.86	4
P056S	Eccentric	22	5	2	1300	280	0.81	8
P056C	Eccentric	25	5	2	1430	270	0.71	8
P058	Eccentric	22	5	4	1502	267	0.88	4
SF058	Twist Lock	22	5	4	1500	276	0.99	4
SF056	Twist Lock	22	5	2	1528	345	0.92	4
SF048	Flip Lock	22	4	4	1492	296	0.8	4
SF046	Flip Lock	22	4	2	1500	370	0.89	4
SF146	Flip Lock	22	4	2	1500	370	0.89	4
SC051	Eccentric	22	5	1	470	235	0.47	4
SC058	Eccentric	22	5	4	1500	270	0.757	4
SC056	Eccentric	22	5	4	1500	310	0.81	4

BT series Agile multifunctional tripod

KINGJOY BT series portable tripod kit, the base is made by injection molding technology, which is light, compact and easy to carry with reversible legs.



"Joy of Swift" Smart Phone Tripod

Model	Leg lock	Max. Diameter	Section	Center Column Height	Extended	Folded	Weight	Max. load
BT-158	Flip Lock	25	4	260	1500	490	1.12	5
BT-258	Flip Lock	25	4	310	1546	445	1.68	5
BT-258A	Flip Lock	25	4	333	1580	430	1.26	5
BT-258S	Flip Lock	25	4	333	1630	430	1.19	5

"Scenery Photo Mate"

Travel Tripod Kits with Ball Head

"Scenery Fairy" Series tripods adopt pure high strength forged aluminum, with the anodic oxidation surface treatment, which makes the tripods appearance more colorful and exquisite, while the tripod stability and abrasion resistance are also greatly enhanced. With the most popular folding legs design, it is 30% more compact compared to the similar tripods on the market. The tripod is easier for storage and transportation.



30%

With the most popular folding legs design, it is 30% more compact compared to the similar tripods in the market. The tripod is easier for storage and transportation.

Features

High Strength Forged Aluminum Tripod Body

High strength pure aluminum precision forged, higher strength and more stability.

3-Angle Leg Angle Adjustor

Leg angle adjustment, swiftly positioned at any of 3 locking angles: low, medium or high.

Leg Locking System

New leg locking system design, more speedy and stable, greatly increases the tripod stability.

Detachable Spiked Feet

Latest detachable spiked feet design, compatible with all terrain even in harsh conditions, assures safety and stability.

"Scenery Photo Mate" Travel Tripod Kits with V Ball Head

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max. load
K009+V00	Aluminum	5	22	10	1420	1210	200	380	1.24	10
K009B+V00	Aluminum	5	22	10	1295	1115	200	312	1.17	10
K029+V00	Carbon Fiber	5	22	10	1420	1210	200	380	1.07	10
K029B+V00	Carbon Fiber	5	22	10	1295	1115	200	312	1.02	10

"Joy of King"

Pro Tripod Kits with Ball Head

"Joy of King" Series tripods are newly developed for outdoor mountain photograph. Tripod body is made of high strength precision forged aviation aluminum, surface treated by newly technology--anodic oxidation. Its features are dustproof, waterproof, quickly lock and speedy detachment. Furthermore, it takes an upgrade on the base of original function: low-angle shooting by connecting between loading plate and counter weight hook; new detachable extended spiked feet design which greatly satisfy needs for outdoor ground harsh terrain shooting.

Low-Angle Macro Shooting

Remove the center column, loading plate can be directly connected with counter weight hook, extreme low-angle macro shooting comes true.

K1208

K2208

Features



High Strength Forged Aluminum Tripod Body



Automatic Leg Angle Adjustment



Detachable Leg Design



Leg Locking System



Detachable Extended Spiked Feet



Reversible Center Column

"Joy of King" Pro Tripod Kits with Ball Head

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.load
K1208+QH10	Carbon Fiber	4	25	16	1530	1300	470	430	1.35	12
K2208+QH20	Carbon Fiber	4	28	19	1660	1385	235	475	1.78	15
K3208+QH20	Carbon Fiber	4	31.3	22	1665	1390	240	485	1.99	18

"Joy of Landscape"

Pro Tripod Kits with Ball Head

"Joy of Landscape" Series is made by high strength precision forged aluminum, the surface treated by anodic oxidation, the tripods have more exquisite appearance, with current popular folding legs and integrated monopod design. The key features are detachable monopod combined with center column, alpenstock combination and grooved reversible center column.

Reversible Center Column

Remove the counter weight hook from the center column, reverse it and enjoy more freedom for low angle shooting.



K2008

Features



High Strength Forged Aluminum Triangle Base



3-Angle Leg Angle Adjustor



Detachable Leg Design



Low-angle Macro Shooting



Leg Locking System



Detachable Spiked Feet

"Joy of Landscape" Pro Tripod Kits with Ball Head

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.load
K1008+Q10	Aluminum	4	25	16	1520	1282	220	426	1.54	12
K2008+Q20	Aluminum	4	28	19	1660	1385	230	475	2.1	15
K3008+Q20	Aluminum	4	31.3	22	1670	1386	240	645	2.25	18

"Joy of Shooting "

Heavy Duty Pro Tripod

"Joy of shooting" Series tripods have large load capacity, superior balance and stability, which can support large size or even heavy duty cameras. Photographers always prefer professional large load capacity tripods, also value tripod's light-weight, stability and compatibility. No matter photo or video shots, Kingjoy tripods can switch between platform and bowl quickly. It is the best choice for photographers.

High Strength Forged Aluminum Tripod Body

High strength pure aluminum precision forged technology, with high strength more stability.

Convertible Platform Design For Photo and Video Shoots

Convertible design between platform and bowl, meet the demands for both photo and video shooting.

Leg Angle Adjustor

External pull type angle adjustor, provides 3 locking angles: low, medium or high, greatly satisfies your shooting balance requirements on all terrains.

Counter Weight Hook

New counter weight hook design allows you to hang a counter weight to increase stability.



K4208



"Joy of Shooting " Heavy Duty Pro Tripod

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Min.H	Folded	Weight	Max.load
K4007	Aluminum	3	34.6	28	1511	211	688	2.53	20
K4008	Aluminum	4	34.6	25	1578	213	568	2.5	20
K5007	Aluminum	3	39	31.3	1495	210	670	2.85	25
K5008	Aluminum	4	39	28	1540	190	575	2.99	25
K5018	Aluminum	4	39	28	2580	210	740	3.2	25
K6008	Aluminum	4	44	31.3	1565	525	578	3.34	30
K4207	Carbon Fiber	3	34.6	28	1507	211	670	2.5	20
K4208	Carbon Fiber	4	34.6	25	1555	213	570	2.06	20
K5207	Carbon Fiber	3	39	31.3	1513	214	670	2.23	25
K5208	Carbon Fiber	4	39	28	1535	190	575	2.33	25
K5218	Carbon Fiber	4	39	28	2580	210	740	3.2	25
K6208	Carbon Fiber	4	44	31.3	1573	190	580	2.88	30



F2208R

G1008R+G1

Center Column Makes the Panoramic Shooting Come True

The innovative multi-angle center column allows photographers to move the center column from 0 to 180 degree on vertical and horizontal directions for the macro shooting and special multi-angle shooting.

Mg-Al Alloy Triangle Base

The tripod body is made of high strength shake-proof Mg-Al alloy, and is treated by high temperature anti-corrosive baking varnishing process.

Fix the Center Column to Keep the Tripod Stable

The rotation lock system can help the photographer fix the center column in a few seconds by a simple action and keep the stability at the same time.

Convertible telescopic metal feet

The replacement of retractable metal feet and rubber foot pads is more suitable for shooting in various special environments.

"Joy of Verstatility"

Lateral Tripod

F-R series versatile professional tripod with excellent flexibility and stability. It can reach unprecedented angle shooting. The innovative multiangle center column allows photographers to move the center column from 0 degree to 180 degree on vertical and horizontal directions then to finish the macro shooting and special multi-angle shooting. The rotation lock system can help the photographer fix the center column in few seconds has a simple action and keep the stability at the same time. It also with fast adjustment locking settings on center column, single angel adjustable square tube with locking center column to enhance the stability. On the bottom of the tripod leg, needle rubber feet offers convenience for different terrain.



"Joy of Verstatility" Lateral Tripod

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.load
F1007R	Aluminum	3	25	19	1655	1280	292	680	2.09	15
F1008R	Aluminum	4	25	16	1655	1280	285	520	1.79	15
F1207R	Carbon Fiber	3	25	19	1655	1280	290	680	1.59	12
F1208R	Carbon Fiber	4	25	16	1655	1280	285	605	1.68	12
F2007R	Aluminum	3	28	22	1757	1400	313	722	2.59	18
F2008R	Aluminum	4	28	19	1760	1400	425	570	2.16	18
F2207R	Carbon Fiber	3	28	22	1760	1400	310	722	1.93	15
F2208R	Carbon Fiber	4	28	19	1760	1400	293	639	2	15
T1008R	Aluminum	4	25	16	1710	1350	430	520	1.57	12
T1208R	Carbon Fiber	4	25	16	1710	1350	430	515	1.32	12
T2008R	Aluminum	4	28	19	1760	1400	425	570	2.16	18
T2208R	Carbon Fiber	4	28	19	1760	1400	425	570	2.01	18
G1008R+G1	Aluminum	4	25	16	1555	/	421	430	1.25	12

VT Series Allnew Flip Tripods

VTS Lightweight Video Tripod

VTS tripod is a strong innovation to create a lightweight multi-functional tripod of KINGJOY, combining a variety of creative design functions, suitable for photography players who like to explore novel things. It is easy to use, lightweight and compact for storage and very suitable for beginners.



VTS-890 / VTS-890L



Knob Handle

By rotating the tilt adjustment handle, to tilt the fluid head for desire angle, or lock in the position.




VTS-990 / VTS-990L

Detachable Head



Liftable System




Center Weight Hook



Flip Lock Design



Detachable Tripod Head



Quickly Switch Between Horizontal and Vertical Shooting Model
Switch to horizontal or vertical model by twist the knob beside the quick release to choice 0°-90° flip over the quick release plate.



VTS-860 / VTS-860L



VT-890H / VT-890H6




Removable & Transverse Center Column



1/4" Standard Screw



Liftable System



Removable Center Column



Flip Lock Design



VT Series Multifunctional Tripod

Model	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Folded	Weight	Max.Load
VTS-860	4	23	13.5	1425	1173	440	1.05	6 ~ 8
VTS-860L	4	23	13.5	1624	1372	500	1.16	6 ~ 8
VTS-890	5	26.8	13.5	1770	1470	545	1.62	6 ~ 8
VTS-890L	5	26.8	13.5	1883	1582	500	1.33	6 ~ 8
VTS-990	5	27	13.5	1624	1372	455	1.23	6 ~ 8
VTS-990L	5	27	13.5	1885	1296	500	1.33	6 ~ 8

VT Series Center Column Horizontal Video Tripod

Model	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Folded	Weight	Max.Load
VT-890H	4	26.6	16.6	1780	1493	580	1.63	6 ~ 8
VT-890H6	4	26.6	16.6	1810	1520	610	1.92	6 ~ 8

VT-850/VT-860

VT Series Live Video Tripod

VT-850 is famous for lightweight, multi-function and easy to carry, which is designed with multi-creative function, is very suitable for photographer who like to explore new things. The VT-860 is a large version of VT-850, which can be used for entry-level tripod.



VT-850



Knob Handle

By rotating the tilt adjustment handle, to tilt the fluid head for desire angle, or lock in the position.

Quickly Switch Between Horizontal and Vertical Shooting Model
Switch to horizontal or vertical model by twist the knob beside the quick release to choice 0°~90° flip over the quick release plate.



VT-850 height is about two iPhone 8 Plus.



VT-860



Wheel Lifting System

Rotate the lever handle of the foot seat to adjust the height of center column.



Center Weight Hook

Hang the heavy things, prevent the tripod from shaking.



Center Locking System

Adopts triangle holder design, locking the tube by tightening the knob after expanding, which make the shooting more stable.



Flip Lock Design

The tube adopts flip lock design, one button can adjust the height of shooting you want, convenience and simple operation.



VT-840



VT-880



VT-870



VT-890



VT-990



VT-832



Tilt Controlling Handle

It can control the handle to adjust & locked photographic angle you want.



1/4" Standard Screw

Ballhead interface is a 1/4" standard interface that connects to SLR cameras, phone clips and a variety of devices.



Locked System

The tripod body design allows the leg to be locked with a knob after it is expanded, making the shooting more stable.



Liftable System



Continuously rotate the foot seat lever handle, adjust the centre column lift, and lock the height through knob.



Leg Locked System

Leg with twist locked design, one pull will be able to adjust the appropriate shooting height, convenient and easy to use.

VT-990B (Detachable Tripod Head)



VT Series Live Video Tripod

Model	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Folded	Weight	Max.Load
VT-820	3	16.5	10.6	1285	990	435	0.38	2
VT-830	4	19.6	10.6	1260	1025	390	0.52	3 ~ 5
VT-830S	4	19.6	10.6	1240	1030	390	0.53	3 ~ 5
VT-831	4	19.6	10.6	1350	1105	420	0.51	3 ~ 5
VT-831S	4	19.6	10.6	1315	1105	418	0.8	3 ~ 5
VT-832	4	19.6	10.6	1315	1105	420	0.53	3 ~ 5
VT-840	3	20	14	1400	1085	500	0.92	6 ~ 8
VT-850	3	23	17	710	570	325	0.75	6 ~ 8
VT-860	4	23	14	1470	1220	485	1.13	6 ~ 8
VT-860S	4	23	14	1750	1432	530	1.19	6 ~ 8
VT-870	4	23	14	1520	1265	530	1.42	6 ~ 8
VT-880	4	23	14	1480	1465	480	1.25	6 ~ 8
VT-890	4	27	17	1780	1470	545	1.6	6 ~ 8
VT-990	5	27	14	1680	1430	460	1.29	6 ~ 8
VT-990B	5	27	14	1680	1435	488	1.29	6 ~ 8

VT Series Heavy-duty Video Tripods

"Joy of Video" Professional Video Tripod Kits

VT-2100 and VT-2100L are developed by Kingjoy to meet all kinds needs and preferences of photographer, which is a professional video tripod that adapted to different application scenarios, and it can compatible with all kinds of camera equipment, such as SLR, DV, mirrorless camera and etc, bring users the most comfortable experience.



VT-2100L&VT-3530

Panoramic Fluid Damping System
Smooth fluid damping touch feeling, provides 90° to -60° pitch range shooting.



VT-2100L&VT-3550



Leg Flip-Lock

The humanized flip-style leg lock makes easy operation and stronger locking force.



Retractable Ground Spikes

It is made of natural rubber pad. Convert the rubber feet and metal spiked feet quickly according to different terrains.



VT-2500



Slip QR Plate

Outer knob controls quick release plate movement, locking position by inner knob, easy to adjust the shooting distance.



Double Handle Install Position

Allows installing the handle at any sides, or suit for user's habit.



Middle Leg Bracing

Adopts triangle holder design, make the whole shooting is more stable.



Twist Knob Lock Structure

Adjust different angle via knob, the stronger locking force, the more stronger fixation force.



Non-slip Rubber Feet

Feet made of rubber material, increase the friction with ground and the skid resistance of the tripod, it make the shooting more stable.



VT-3500+VT-3530

"Joy of Video" Professional Video Tripod Kits

Model	Section	Max. Diameter	Min.H	Extended	Folded	Weight	Max.Load
VT-2100+VT-3530	3	24	785	1615	840	4.58	15
VT-2100+VT-3550	3	24	805	1640	850	4.21	15
VT-2100L+VT-2510	3	24	840	1905	890	3.92	15
VT-2100L+VT-3520	3	24	860	1925	910	3.85	15
VT-2100L+VT-3530	3	24	870	1950	925	4.7	15
VT-2100L+VT-3550	3	24	895	1975	945	4.34	15
VT-2500+VT-3520	3	20	700	1530	775	2.93	15
VT-2500+VT-3530	3	20	745	1570	785	4.09	15
VT-2500+VT-3550	3	20	770	1600	815	3.72	15
VT-2500L+VT-3510	3	20	785	1795	840	3.18	15
VT-2500L+VT-3530	3	20	835	1835	890	4.27	15
VT-2500L+VT-3550	3	20	855	1865	910	3.92	15
VT-3500+VT-3530	3	20	907	1984	962	5.65	15

Light Video Tripod Kits

VT series lightweight tripod is specially designed for new entry photographers. It is made of aluminum alloy, compact, convenient and lightweight features fit for small size digital cameras. It has a prefer property of small folding size and large extending, makes a easy shooting when you photograph outside.



360° Panoramic Pan head

360° panoramic pan head offers panoramic photography.



Geared Center Column

The geared center column offers a speedy adjustment for shooting height.



Mid-level Spreader and Center Column Locking Knob

Newest designed mid-spreader provides the most stable photography status while legs fully extended.



Leg Locking System

The humanized flip lock design, easy operation, anti-abrasion and anti-aging.



VT-910

VT-930

VT-2000



Multi-angle Fluid Damping Adjustment Design

The head adopts the fluid damping adjustment design of front-to-back -70° ~ +90° tilt, which can provide multiangle shooting.



VT-1500



Dual Security Fast Locking Knob

The platform adopts automatic reset with dual security knob design, just press the security knob on the contrary direction to dismount the quick release plate, which can prevent the camera from falling off accidentally.



Center Column Locking Knob

After the center column is extended, lock the knob to stabilize the shooting state.



Geared Center Column

The geared center column offers a speedy adjustment for shooting height.



Leg Locking System

The humanized flip lock design, are easy operation, anti-abrasion and anti-aging.

Removable Anti-slip Rubber Feet
The K-Series camera tripod feet are made of rubber, increasing their coefficient of friction with the ground, thus increasing the anti-slip and stability of the scaffolding.

Leg Locking System
The humanized flip lock design, are easy operation, anti-abrasion and anti-aging.



VT-1200



Dual Security Fast Locking Knob
The platform adopts automatic reset with dual security knob design, just press the security knob on the contrary direction to dismount the quick release plate, which can prevent the camera from falling off accidentally.



Multi-angle Fluid Damping Adjustor
The head adopts the fluid damping adjustment design of front-to-back -70° ~ +90° tilt, which can provide multi-angle shooting.



Mg-Al Triangle Base
The tripod body is made of high strength shake-proof Mg-Al alloy, treated by high temperature anti-corrosion baking varnish coating technology.



Leg Angle Adjustor
External pull type angle adjustor provides the speedy adjustment of high, medium and low angles.

Light Video Tripod Kits

Model	Section	Max.Diameter	Working Height			Folded	Weight	Max.Load
VT-910	3	23	527	1448	1166	570	1.2	5
VT-930	3	23	503	1453	1144	545	1.12	3
VT-1200	3	25	600	1545	1280	645	1.82	8 ~ 10
VT-1500	3	25	612	1660	1330	670	2.09	15
VT-1600	3	27	635	1695	1350	680	1.93	8 ~ 10
VT-2000	3	28	576	1442	1205	690	2.68	10

K2018/K2218 K Series Heavy Camera Tripod

K2018 and K2218 are Kingjoy newly development K series video tripod, they are made of aluminium alloy and carbon fiber, and design with four sections tube, which can provide multi height adjustment for photographer. They the swift locking system and ergonomic design, quick to adjust tripod height, easy to carry, comfortable touch feeling and simple operation.



K2018

K2218



Flange Plate
The surface is covered with silicone, which increases the friction with the installation equipment without any scratches, meanwhile, it can make the equipment closely connected with the tripod.



Buckle System
Slightly pull the buckle to achieve high/medium/low angle shooting, provide the more convenience locking style to shooting.



Center Weight Hook
You can hang the heavy things you carry around, to prevent the tripod from shaking, but not affect photography flexibility.



Quick Despatch
Loosen the knob on the triangle to despatch, convenient and simple operation.



High Density Sponge
Comfortable touch feeling.



Swift Leg Locking System
The leg knob is covered with non-slip silicone, you just lightly twist the tube to adjust the shooting height as you need.

K Series Heavy Camera Tripod

Model	Material	Section	Max.Dia	Min.Dia	Extended	Min.H	Folded	Weight	Max.Load
K2018	Aluminum	4	28	19	1180	100	445	1.54	15
K2218	Carbon Fiber	4	28	19	1190	100	445	1.23	15

The parameters of the tripod do not identify the ballhead, so the ballhead parameters are not included.

Live Streaming Light Stand - Flip Lock

The center column can be adjusted in detail through the trigger, and the locking force is strong, which is convenient for the user to carry out live lighting and photographing. It is equipped with a standard screw thread conversion interface, which has the characteristics of compact storage, flexible expansion and portability.

It is especially suitable for setting up lighting and supporting shooting work such as live streaming, travel outdoor selfie, studio assistance, beauty manicure and video conference.

Large-angle Pitch Adjustment Design

Turn the knob to adjust the shooting angle as required. Meet all kinds of photography creative needs you want, increase the stability of the light stand.



FL119S

Flip Locking System

The center column can be adjusted in detail through the trigger, and the locking force is strong.

It can meet the needs of different height adjustments for fill-in lights, cameras, mobile phones and other equipment.



FL2019

Easily Fold to Storage & Extended Design


When not in use, it can be stored anytime and anywhere, and the fold height is small, does not occupy space, and is easy to carry.



FL119S

Center column separation technology: The selfie stick function changes your traditional perception of the light stand.

- Step 1 Unfold Stand, Unscrew Bottom Knob of Center Column
- Step 2 Draw Out the Center Column from the Stand
- Step 3 Install the Phone Clip, Then Use



FL019S



360° Horizontal Rotating Head
The stand is equipped with a circular pan/tilt. After connecting and fixing the equipment, the pan/tilt can be rotated horizontally at all angles.

Without moving the stand, it satisfies the needs of the fill light, camera, mobile phone and other equipment to adjust different horizontal angles.



Quick Installation Rectangular Pan/Tilt Head

The stand is equipped with a rectangular pan/tilt, which eliminates the need to rotate the device or bracket when connecting fixed devices.

Rotate the circular screw interface controller in the middle of the pan-tilt to quickly install different equipment such as fill light, camera, mobile phone holder, etc., to meet the needs of various fast switching.



Embedded Metal Integrated Pan/Tilt Head

When not in use, it can be stored anytime and anywhere, and the fold height is small, does not occupy space, and is easy to carry.



Multi-function Head

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.



Structural Engineering Design

According to the structural engineering, the triangle is designed with the characteristics of stability, solidity and pressure resistance, so that the bracket exhibits excellent stability and support.



Middle Shaft Locking Design

The center column can freely adjust the shooting height through the knob, which is suitable for all kinds of live broadcast fill light shooting height.



Non-slip Rubber Feet

Improve the stability of the stand when unfolding and provide a stable live streaming, fill photography experience

Live Streaming Light Stand - Flip Lock

Model	Head Type	center column Type	Section	Max.dia	Min.dia	Extended	Folded	Weight	Max.load
FL018	Horizontal rotation	/	4	22	13	1324	433	0.49	5
FL019	Horizontal rotation	/	5	25	13	1550	460	0.55	5
FL019S	Quick loading	Detachable	5	25	13	1555	433	0.555	5
FL118	Quick loading	/	4	22	13	1325	433	0.49	5
FL1019	Embedded	/	5	25	13	1825	465	1.06	6 ~ 8
FL1118	Embedded	/	4	25	16	2010	490	0.74	5
FL2019	Embedded	/	5	28	16	1800	465	1.01	6 ~ 8

Live Streaming Light Stand - Eccentric Tube Knob

The center column adopts a double eccentric tube design, which is convenient to use and has both locking force. It is an all-round bracket. It is characterized by rapid expansion and contraction control and convenience. With high-end appearance design, it is suitable for fashionable and fast-paced people.

At the same time, the light stand is suitable for scenes such as live broadcast, travel outdoor selfie, studio assistance, beauty manicure and video conference, to set up lighting and support shooting work.

Multi-function Head

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.



FL029

Large-angle Pitch Adjustment Design

Turn the knob to adjust the shooting angle as required. Meet all kinds of photography creative needs you want, increase the stability of the light stand.



FL029S

Eccentric Tube Design Locking System

The all-round stand is convenient to use and has both locking force. Meet the needs of quick height adjustment.




FL029

Center column separation technology: The selfie stick function changes your traditional perception of the light stand.

- Step 1 Unfold Stand, Unscrew Bottom Knob of Center Column
- Step 2 Draw Out the Center Column from the Stand
- Step 3 Install the Phone Clamp, Then Use



FL029S



360° Horizontal Rotating Head

The stand is equipped with a circular pan/tilt head. After connecting and fixing the equipment, the pan/tilt can be rotated horizontally at all angles. Without moving the tripod, it satisfies the needs to adjust different horizontal angles you want.



Structural Engineering Design

According to the structural engineering, the triangle is designed with the characteristics of stability, solidity and pressure resistance, so that the bracket exhibits excellent stability and support.



Center Column Locking Design

The center column can freely adjust the shooting height through the knob, which is suitable for all kinds of live broadcast fill light shooting height.



Craftsman quality

The stand is made of mature technology and carefully selected materials. The touch is delicate and comfortable, suitable for fashionable people.

Live Streaming Light Stand - Eccentric Tube Knob

Model	Head Type	Center Column Type	Section	Max.dia	Min.dia	Extended	Folded	Weight	Max.load
FL029	Horizontal rotation	/	5	25	13	1440	395	0.48	5
FL029S	Horizontal rotation	Detachable	5	25	13	1472	395	0.495	5

The stand complies with the engineering design, and the height can be extended between extractions, and the convenience is strong. The expansion and contraction can be completed in an instant, fast and easy to use, suitable for people who have frequent changes in height.

At the same time, the stand is suitable for scenes such as live streaming, travel outdoor selfie, studio assistance, beauty manicure and video conference, to set up lighting and support shooting work.

Allnew Flip Locking System

The center column can be adjusted in detail through the trigger, and the locking force is strong.

It can meet the needs of different height adjustments for fill-in lights, cameras, mobile phones and other equipment.




Easily Fold to Storage & Extended Design

When not in use, it can be stored anytime and anywhere, and the fold height is small, does not occupy space, and is easy to carry.




MCS1192



360° Horizontal Rotating Head

The stand is equipped with a circular pan/tilt head. After connecting and fixing the equipment, the pan/tilt can be rotated horizontally at all angles.

Without moving the tripod, it satisfies the needs to adjust different horizontal angles you want.



Center Column Locking Design

The center column can freely adjust the shooting height through the knob, which is suitable for all kinds of live broadcast fill light shooting height.



Structural Engineering Design

According to the structural engineering, the triangle is designed with the characteristics of stability, solidity and pressure resistance, so that the bracket exhibits excellent stability and support.



Craftsman quality

The stand is made of mature technology and carefully selected materials.

The touch is delicate and comfortable, with high-end design, suitable for fashionable people.

Live Streaming Light Stand - Allnew Flip Knob

Multi-function Head

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.



Live Streaming Light Stand - Allnew Flip Knob

Model	Head Type	Center Column Type	Section	Max.dia	Min.dia	Extended	Folded	Weight	Max.load
FCS0192	Horizontal rotation	/	5	25	13	1690	433	0.54	6 ~ 8
MC1182	Quick loading	/	4	25	16	1350	435	0.47	8
MC1192	Quick loading	/	5	25	13	1685	470	0.53	8
MCS1182	Quick loading	/	4	25	16	1350	435	0.42	8
MCS1192	Quick loading	/	5	25	13	1620	440	0.46	8
ML018	Horizontal rotation	/	4	25	16	1322	450	0.415	8
ML118	Quick loading	/	4	25	16	1323	450	0.415	8

Live Streaming Light Stand - Knob Locking

The center column shaft is finely locked and adjusted by the knob to achieve any desired height within the stand's height range, and the locking force is strong. With strong locking force and good stability, it is suitable for you who need heavy accessories.

At the same time, the stand is suitable for scenes such as live streaming, travel outdoor selfie, studio assistance, beauty manicure and video conference, to set up lighting and support shooting work.



Multi-function Head

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.




FL2009

Knob Locking System

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.



FL1009




Center Column Locking Design

The center column can freely adjust the shooting height through the knob, which is suitable for all kinds of live broadcast fill light shooting height.



Structural Engineering Design

According to the structural engineering, the triangle is designed with the characteristics of stability, solidity and pressure resistance, so that the bracket exhibits excellent stability and support.



Craftsman quality

The stand is made of mature technology and carefully selected materials. The touch is delicate and comfortable, with high-end design, suitable for fashionable people.



Non-slip Rubber Feet

Improve the stability of the stand when unfolding and provide a stable live streaming, fill photography experience.

Live Streaming Light Stand - Knob Locking

Model	Head Type	Center Column Type	Section	Max.dia	Min.dia	Extended	Folded	Weight	Max.load
FL1009	Embedded	/	5	25	13	1810	465	1.06	8 ~ 10
FL2009	Embedded	/	5	28	16	1825	465	1.14	8 ~ 10

Live Streaming Light Stand - Resistance Extraction

The stand complies with the engineering design, and the height can be extended between extractions, and the convenience is strong. The expansion and contraction can be completed in an instant, fast and easy to use, suitable for people who have frequent changes in height.

At the same time, the stand is suitable for scenes such as live streaming, travel outdoor selfie, studio assistance, beauty manicure and video conference, to set up lighting and support shooting work.

Resistance Extraction Locking System

The stand complies with the engineering design.

Extendable height, powerful convenience.

Satisfy the need to adjust the height quickly.



FL0591S



Multi-function Head

Connector Universal 1/4" screw design, Compatible with all kinds of shooting equipment in the market and rich shooting angles. Can be combined with ring fill light, Mobile phone clamp, Digital camera.



Quick Installation Rectangular Pan/Tilt Head

The stand is equipped with a square pan/tilt. When connecting a fixed device, turn the round screw interface controller in the middle of the pan/tilt to quickly install the device to meet the needs of various fast switching.



Middle Shaft Locking Design

The middle shaft can freely adjust the shooting height through the knob, which is suitable for all kinds of live broadcast fill light shooting height.



Structural Engineering Design

According to the structural engineering, the triangle is designed with the characteristics of stability, solidity and pressure resistance, so that the bracket exhibits excellent stability and support.



Non-slip Rubber Feet

Improve the stability of the stand when unfolding and provide a stable live streaming, fill photography experience.

Live Streaming Light Stand - Resistance Extraction

Model	Head Type	Middle Shaft Type	Section	Max.dia	Min.dia	Extended	Folded	Weight	Max.load
FL0591	Horizontal rotation	/	5	25	13	1433	1433	0.51	1 ~ 5
FL0591S	Horizontal rotation	/	5	25	13	1433	1433	0.51	1 ~ 5

"Joy of Freedom"

Professional Monopod

"Joy of Freedom" Series monopod is Kingjoy's newly developed product, which is multi-functional and is widely used for sports photography, bird watching and micro film. The monopod loading plate adopts dual convertible 3/8"-1/4" head mounting screw. Cameras and bird-watching equipments can be directly mounted with a 1/4" threaded screw to enable a proper fit with different heads.

360°

The 360° rotating base allows free panning and tilting adjustment during video or micro film shooting.



MP3008

KH-6500 is a swivel head specially developed by KINGJOY for a monopod. It is made of aluminum alloy with lightweight design of the same quality, offering a more compact and excellent operation.



Dual Security Quick-release Clamp Design

Quick-release clamp can be automatically reset with dual security knob design. It allows camera dismount the camera quickly. It also prevents the camera from falling off accidentally.

2-way Angle Adjustment

Angle adjusted range -90° ~ +90°, fits for monopod.

3/8" Mounting Hole

3/8" threaded standard and universal mounting hole.



KH-6500 Swivel Head for Monopod

Model	Height	Base Diameter	Lock hole	Weight	Max.Load	Camera Screw
KH-6500	63	43.8	UNC 3/8"	0.26	5	UNC 1/4"



Features

Made of High Strength Mg-Al Alloy

The monopod supporting part adopts the new extended and thickened design which provides solid support. The monopod is made of high strength Mg-Al alloy treated by high temperature anti-corrosion baking varnish coating technology. It's key features are anti-abrasion resistant anti-corrosion, durable and anti-wearing, and for different severe environments.

360° Rotating Base

Press 360° rotating base allows free panning and tilting adjustment during video or micro film shooting.

Non-slip Bottom Rubber Pad Design

The concave-convex style bottom rubber pad design has better gripping force for video or micro film shooting.

Folding Supporting Base

Press the button to fold each leg, compact and easy to carry portable.



Patented Structure, Legs Fixed When Tightening the Knob

(Patent number: z1200020176347.4)

KINGJOY's newest patented structure uses the locking knob as shown in picture. Tighten it to fix the monopod, and loosen it to adjust the monopod at the desired can reach realize a full multi-angle shooting.

"Joy of Freedom" Professional Monopods

Model	Material	Leg lock	Section	Max. Diameter	Min. Diameter	Extended	Folded	Weight	Max.load
MP3008	Aluminum	Twist Lock	4	31.4	22	1645	550	0.86	20
MP4008	Aluminum	Twist Lock	4	34.6	25	1665	585	0.99	30
MP3008F	Aluminum	Flip Lock	4	31.4	22	1645	550	0.65	20
MP4008F	Aluminum	Flip Lock	4	34.6	25	1665	585	0.85	30
MP3208	Carbon Fiber	Twist Lock	4	31.4	22	1650	550	0.76	20
MP4208	Carbon Fiber	Twist Lock	4	34.6	25	1680	580	0.83	30
MP3208F	Carbon Fiber	Flip Lock	4	31.4	22	1650	550	0.55	20
MP4208F	Carbon Fiber	Flip Lock	4	34.6	25	1665	585	0.86	30

Support Base M Series

For Multi-functional Monopod

M series multi-functional monopod base is KINGJOY's newly developed all-purpose monopod base. The standard UNC 3/8" threaded mounting stud can be mounted on any Monopod. It breaks through the normal simple functions. It makes the real shooting for video and micro film by using 360° rotating base.

Features

Made of High Strength Mg-Al Alloy

M series monopod base is made of high strength Mg-Al alloy, which is treated by high temperature, anti-corrosion baking varnish coating technology. Its key features are anti-abrasion, anti-corrosion durability and anti-wearing, suitable for different severe environments. The base adopts the new extended and thickened design which provides solid support.

The Standard Dual UNC 3/8" Threaded Mounting

Stud can be used on the tripods with integrated monopod function. It is a universal accessory for all monopods.

360° Rotating Base

The 360° rotating base allows free panning and tilting adjustment during video or micro film shooting.

Patented Structure, Legs Fixed When Tightened

(Patent number: z(200020176347.4)

KINGJOY's newest patented structure uses the locking knob as shown in the picture. Tighten it to fix the monopod, and loosen it to adjust the monopod at the desired location. It can realize a full multi-angle shooting.

Non-slip Rubber Pad Design


The concavo-convex style bottom rubber pad design has better gripping force for more stable shooting.

Compact Folding Up Design

The unique folding press button design, just press the button to fold up each leg, compact and portable.

Support Base M3 for Multi-functional Monopod

Model	Material	Extended	Folded	Weight	Max.Load
M3	Aluminum	75	175	0.3	30
M3L	Aluminum	90	212	0.4	30



Twist Lock Monopod

MP series monopod is made of lightweight tube material, with a standard switched screw. The key features are lightweight, flexible, compact and speedy shooting. It is the best choice for photography of sports interview, outdoor adventure, travel photography and extreme sports etc.



Loading Plate Fast Locking System

The UNC1/4" and UNC3/8" screws can be fixed fast by locking the screws on the loading plate. Large loading plate increases the contact area with higher load and safe operation.



Leg Locking System

New leg locking system design, more speedy and stable, greatly increases the stability.



Screw Type Spiked Feet

Latest extended spiked feet design, compatible with all terrains even harsh conditions, assures safety and stability.



Twist Lock Monopod

Model	Leg lock	Material	Section	Max. Diameter	Min. Diameter	Extended	Folded	Weight	Max.load
MP208	Twist Lock	Aluminum	4	28	19	1485	470	0.54	15
MP228	Twist Lock	Carbon Fiber	4	28	19	1500	468	0.37	15
MP306	Twist Lock	Aluminum	6	31.4	16	1550	390	0.56	20
MP326	Twist Lock	Carbon Fiber	6	31.4	16	1550	390	0.45	20
MP309	Twist Lock	Aluminum	5	31.3	19	1635	450	0.6	12
MP329	Twist Lock	Carbon Fiber	5	31.3	19	1630	450	0.48	12
MP406	Twist Lock	Aluminum	6	34.6	19	1658	500	0.6	25
MP426	Twist Lock	Carbon Fiber	6	34.6	19	1658	500	0.6	25

Flip Lock Monopod

The fastener professional monopod adopts lightweight leg material, standard screw adapter interface, and has the characteristics of lightweight, flexible operation, easy to carry and high-speed capture, which is very suitable for sports interviews, outdoor adventures, travel photography and extreme sports.



Loading Plate Fast Locking System
The UNC 1/4" and UNC 3/8" screws can be fixed fast by locking the screws on the loading plate. The large loading plate increases the contact area with higher load and safe operation.



Adjustable Lock Strength System
The photographers can adjust the locking strength according to their demands. The usage life lasts much longer. The aluminum flip-lock makes it wearable.



MP208F

MP408F



Loading Plate Fast Locking System
UNC 1/4" and UNC 3/8" dual function screws can lock the loading plate quickly. Large contacted area provides higher load and safer operation.



Adjustable Lock Strength System
The photographers can adjust the locking strength according to their demands. The usage life lasts much longer. The aluminum flip lock makes it wearable.



Innovative Mini Supported Stand
Base supported stand increases photography stability.



MP408FL

Free-Standing Monopod with Legs

MP408FL is KINGJOY newest designed supported and professional monopod. It perfectly combines traditional monopod and mini tripod supported stand, for either indoor or outdoor, it also can display its unique function according to different terrains. Newly designed flip lock locking force adjustment system, to meet different needs such as user's experience powder or use time. The locking force can be adjusted as desired. This series monopod is more suitable for professional photographers who enjoy outdoor, travel and sports photography creation.

Flip Lock Monopod

Model	Leg lock	Material	Section	Max. Diameter	Min. Diameter	Extended	Folded	Weight	Max. load
MP108F	Flip Lock	Aluminum	4	25	16	1500	470	0.36	5
MP208F	Flip Lock	Aluminum	4	28	19	1547	478	0.49	10
MP308F	Flip Lock	Aluminum	4	31.3	22	1590	490	0.52	12
MP408F	Flip Lock	Aluminum	4	34.6	25	1600	530	0.72	15

Free-Standing Monopod with Legs

Model	Leg lock	Material	Section	Max. Diameter	Min. Diameter	Extended	Folded	Weight	Max. load
MP408FL	Flip Lock	Aluminum	4	34.6	25	1657	595	1.11	15

VS Hand Held Stabilizer VS001/VS040/VS060

VS series' new handheld stabilizer is made of high-strength aluminum alloy, equipped with a super wearable resistant bar, makes the holding easy and suitable. Its convenient handle high flexibility professional design provides all-purpose and stable shooting. VS has a compact appearance and convenient operation. The extended balance pole can be used as a monopod, which brings VS perfect series compatibility.



Features

Extended and thickened loading plate and non-slip security knob, rapid and safe.
High precision bearing and low friction joints, which offer the accurate dynamic balance support.
The extended balance pole can be used as a monopod.
The knob style clump weight provides rapid and convenient installation.



VS Hand Held Stabilizer

Model	Extended	Folded	Weight	Max.Load
VS001	273	273	1.12	2
VS040	410	310	1.37	2
VS060	605	410	1.39	2

Handheld Stabilizer

VS Series

VS handheld stabilizer is made of high-strength aviation aluminum and equipped with a super wearable rubber bar, which makes holding easy and suitable. Its practical and high flexibility professional design provides all-purpose stable shooting. VS has a compact outlook and easy operation. The extended balance pole can be used as a monopod, which brings VS perfect series compatibility.

Extended and thickened loading plate and non-slip security knob, rapid and safe.

High precision bearing, low friction gimbal, they offer the best dynamic balance support.

The extended balance pole can be used as a monopod.


The knob-style counter weight provides rapid and convenient installation.

Features



Handheld Stabilizer VS Series

Model	Extended	Folded	Weight	Max.Load
VS1032	1130	650	2.09	5
VS1032B	1115	660	2.13	5
VS1047	1236	525	2.14	5
VS1047B	1240	530	2.19	5



Dolly Series

VX-103

Four-wheel Dolly

VX-103 four-wheel dolly is made of high strength extended and thickened aluminum with the novel appearance. The dolly tyre with hollow out design is wrapped with shakeproof rubber, ultra-quiet. The precise movement without shaking makes the shooting stable. The dolly can change the route according to your need, straightly or curved, very flexible to move. The dolly plate has the standard dual 1/4" and 3/8" threaded mounting stud to mount the bracket, mini head, hot shoe base and so on, which makes it convenient to be equipped with cameras, photography lights, and LCD panels. VX-103 video dolly is fit for all kinds of light DSLR cameras and it's practical with simple operation.

Features



High strength extended and thickened aluminum.



The standard dual 3/8"-1/4" threaded mounting stud is compatible with any monopod.



The 0 to 180 degree rotation knob makes the multi-angle shooting come true.

Four-Wheel Dolly VX-103

Model	Dimension	Base Screw	Weight	Max.Load
VX-103	230x165x67	UNC1/4"	0.51	30



Tripod Dolly

Compatible with any professional photo and video tripods.



VX-600



VX-600D



Tripod Dolly

Model	Dimension	Extended	Weight	Max.Load
VX-600	430x130x135	900	1.53	15
VX-600D	445x170x162	950	2.73	20

Versatile Clamp Mount

Versatile Clamp Mount is a multi-purpose combined accessory suitable for photo/video. The clamp is made of aluminum. It can be mounted on the surface of cylindrical, plate shape and irregular objects. It can also be attached to the cameras or other devices for more photographic applications.

Versatile Clamp Mount

Model	PPL-03	PPL-03B
Material	Aluminum	Aluminum
Range	80x74x31	Extended: 140x48x29 Folded: 84x60x48
Weight	0.11	0.14
Max.Load	2	2.5
Cam Screw	UNC1/4"	UNC1/4"



PPL-03B
&
PPL-03

LC-10

Model	LC-10
Material	Aluminum
Dimension	82x58x72
Weight	0.3



Versatile Clamp Mount

Model	KT-207	Extended	1255
Material	Aluminum	Folded	500
Section	3	Max.Height	88x76
Max.Diameter	31.3	Weight	0.83
Min.Diameter	25	Max.Load	25



Pivot Arm

Pivot Arm Series is designed to hold a light fixture or accessory in place, it is a space-saving grip tool for a variety of applications. It's a great match-up with a super clamp, for instance, with an optional camera platform for highly mobile work. It is capable of tension adjustment so that you can easily secure weighing up to 8 lb in the position you've chosen.



MC-212



MC-202

Features

360 Degree Rotation
Inter Locking Lever
Ball-and-Socket 5/8" Pins
1/4"-20 and 3/8"-16 Female Threads
Pins with Flat Sides for Secure Lock Down



Pivot Arm

Model	Material	Max. Diameter	Extended	Folded	Max.Width	Weight	Max.Load
MC-102	Carbon Fiber	20	500	260	90	0.5	2
MC-202	Aluminum	20	528	295	105	0.89	3.6
MC-212	Aluminum	20	525	280	130	0.98	3.6

VM-301/VM-301C Professional Mini Jib Crane

VM series mini jib crane adopts high strength aluminum stamp-forming process, features lightweight and high strength. It is beyond the normal shooting limits and allows all position shooting by slightly rotating the crane arm. You won't miss any chance to catch every critical moment. The crane's simple structure makes the set-up very quick and easy. It is specially designed for medium and small size film studios.

Full Shooting Range

It is beyond the normal shooting limits and allows all position shooting by slightly rotating the crane arm. You won't miss any chance to catch every critical moment.

Multifunctional Head Design for Photo and Video Shooting

The unique quick release plate design can meet the demand of photo and video shooting.



Professional Mini Jib Crane VM-301(Aluminum),VM-301C(Carbon Fiber)

Available for	ø 75 mm, ø 100 mm ball/bowl video head	Extended Length	2100 mm
Max. Load	5-8 KG	Folded Length	750 mm
Vertical Operation Height Range	-140 mm ~ +200 mm	Maximum Radius	1200 mm
Horizontal	360°	Min. Operational Height	200 mm
Counter Weight	1000 g × 2	Max. Operational Height	1400 mm
Tube Diameter	28 mm	Net Weight	3.9 kg(Aluminum) / 2.8 kg (Carbon fiber)
Specialty	Suitable for film maker, special topic film, TV station, wedding photography.		Gross Weight 6.4 kg(AL) / 5.91 kg(Carbon fiber)

VM-302/VM-302C Professional Mini Jib Crane

VM-302 professional mini Jib Crane is the second version based on VM-301. It strengthens and increases more characteristic functions to meet different photographers' needs. VM-302 is multi-functional and suitable for large shooting scene. The simple installation allows users to set up the jib crane easily.



Features

Extendable Cross Arm
Adjustable length for your option.

Quick Removable Quick Release Plate
Quickly switch between photo and video shooting.

Humanized Anti-slip Handle Bar
Ensure the stability during angle adjustment.

Professional Mini Jib Crane

Model	VM-302(Aluminum) VM-302C(Carbon fiber)		
Available for	ø 75 mm, ø 100 mm ball/bowl video head	Extended Length	2500 mm
Max. Load	5 kg	Folded Length	750 mm
Vertical Operation Height Range	-140 mm ~ +200 mm	Max. Working Radius	1700 mm
Counter Weight	1000 g × 2	Max. Operational Height	1800 mm
Tube Diameter	31.3 mm	Net Weight	3.9 kg (with farmar)
Specialty	Suitable for film maker, special topic film, TV station, wedding photography.		

PB-75

360° Panorma Support Base



360° Panorma Support Base

Model	Base Screw	Base Diameter	Max.H	Weight	Max.Load	Farmar
PB-75	UNC3/8", UNC1/4"	75	32	0.27	10	31.5 g

Single Slider

KINGJOY VM Series Slider fits all kinds of light camcorders and SLR/DSLR cameras. It owns a unique structure design. The main parts are made of high-strength aviation aluminum, while the surface is processed by anode oxidation treatment. The slider features the very good functions of anti-scratch and anti-abrasion. The high-precision slider rail can be combined with any tripod. The diversified combination can shoot from more positions.



Features

It adopts an international standard 3/8" screw hole which can match any equipment.

The new slider storage box is dustproof and lubricated.

The slider is made of aviation aluminum with two built-in stainless bars which can assure straightness, making the sliding stable and smooth.

Adjustable supporting legs can be adjusted for shooting at different terrains.

If the space is limited, or the crane couldn't be used, the slider can be combined with the tripod to finish various positions of mounting: up, down, sliding, and gliding



Single Slider

Model	Dimension	Weight	Lock Hole	Level Load	Vertical Load
VM-60	635x320	1.72	UNC 3/8"	6	4
VM-80	835x320	2.16	UNC 3/8"	6	4
VM-100	1045x320	2.48	UNC 3/8"	5	3
VM-120	1230x320	2.94	UNC 3/8"	5	3
VM-150	1535x320	3.46	UNC 3/8"	5	2

VM-S80/VM-S80B(Fly Wheel Optional)

Double Slider

Kingjoy VM Double Track Slider is designed for professional photographers. It can satisfy different needs of photography. The double track slider allows users to shoot at any angle, all functional in panorama 360 degree. The high precision straight rail, there is no annoy of stuck phenomenon. The rail can slide downward on the slope, offering convenient shooting condition.



Features

Precision Bearing Design

Brand new design makes the slider smoother and stabler.

Brand New Loading Plate Design

Bigger loading plate, higher stability, attach to a variety of optional accessories.

Built-in Professional Bubble Level

The professional bubble level can improve the alignment of your slanting efficiency and quick leveling.

Strengthened Compatibility Performance

Universal 1/4" and 3/8" UNC screw, more compatible.



Double Sliders(Fly Wheel Optional)

Model	Material	Dimension	Lock Hole	Weight	Max. Load	Camera Screw
VM-S80	Carbon Fiber	840x210x103	UNC 3/8" UNC1/4"	1.75	7	UNC1/4"
VM-S80B (With Fly Wheel)	Carbon Fiber	915x235x175	UNC 3/8" UNC1/4"	3.63	7	UNC1/4"

VM-10

Mini Video Slider

Mini video slider VM-10 is a lightweight photo/video tracking rail, customized for outdoor photographers. The unique appearance and ideal structure, reflecting the precision and craft of Kingjoy design concept. The compact and exquisite body makes it ideal for travel. No matter where you go, it can help you to shoot smooth, stable and amazing photos.



Features

High Precision CNC Technology

Ideal Structure, Various Methods of Loosening/Locking

Built-in Bubble Level

Smooth Fine-turning and Sliding Rails Design

1/4" and 3/8" Threaded Screw Holes for Mounting on the Tripods

The top 1/4" and 3/8" Screws can be Fixed to Multiple Heads



Mini Video Slider--VM-10

Model	Dimension	Lock Hole	Weight	Max.Load	Camera Screw
VM-10	235x148x80	UNC3/8" UNC1/4"	0.59	10	UNC1/4"

KS-11 / KS-11S / KS-12

Video Support Rig

KS Series video support rig adopts CNC precision machining, with super delicate hand feeling and high-end appearance.

It can be connected to the tripod head. The support rig has the multi-functional design which can be adjusted front and back, up and down. The universal 15 mm round aluminum tube is compatible with any additional accessories such as follow focus, suitable for big DSLR cameras. The bottom has 3/8" and 1/4" threaded hole, can be connected with any photographic equipment. Let's enjoy photography anytime, anywhere.



KS-11



KS-11S



KS-12

Features

Arca-swiss Quick Release Plate

The universal Arca-swiss quick release plate is compatible with all the same type heads.

3/8" and 1/4" Threaded Holes at the Bottom

The bottom has 3/8" and 1/4" threaded holes, compatible with any photographic equipment.

Different Heights and Angles Options

The rig can be adjusted up and down, front and back, fit for your any expected shooting heights and angles.

Professional Bubble Level

With multiple bubble levels, more convenient to adjust horizontal location and make photography easier.



Video Support Rig


Model	Length	Width	Height	Weight	Max.Load
KS-11	224	121	100.2	0.74	15
KS-11S	220	115	100	0.58	15
KS-12	218	185	55	0.28	15

Notice: The dimensions are the dimensions of the box.

KH-6820

Camera Cage Kit

KH-6820 camera cage kit is compatible with most mainstream photographic equipment, such as action cameras, smartphones, DSLRs, and mirrorless cameras. It allows users to capture stable images and avoids blurring and shaking during shooting. It helps you capture more fluid, clear, and professional photos. The overall design is simple and flexible. Kingjoy designers greatly optimize the cage from the ergonomics view to bring users the most comfortable experience.



Humanized comfortable grip, supports one hand shooting operation, ensures stable and smooth photos.

Cheese plate design and 3 different heights rod enriches the capability of accessories, further enhances the multi-functional applications.



While mounting with the telephoto lens, adjust the rod to hold the camera, the tri-point fixation makes the shooting safer and stabler.

Camera Cage Kit

Model	KH-6820
Material	Aluminum/Carbon Fiber
Dimension	130x140x260(Carbon Fiber Rod Excluded)
Carbon Fiber Rod Length	310(±15)
Weight	0.85



H-3009

H-3209

Boom Pole

Kingjoy microphone boom pole is made of lightweight carbon fiber and high strength aluminum. The pole has the quick twist locking system to offer quick and accurate adjustment. It allows the microphone boom pole to stay at any expected length. The boom pole has the non-slip foam grip. The professional design of the boom pole top is very convenient to be compatible with other accessories.



Features

Super Lightweight Carbon Fiber and High Strength Aluminum Material

Quick Twist Locking System

Non-slip Foam Grip

Detachable Feet

Boom Pole

Model	Section	Max. Diameter	Extended	Min.H	Folded	Weight
H-1007	3	25	19	1585	635	0.33
H-1207	3	25	19	1585	635	0.24
H-2008	4	28	19	2205	690	0.49
H-2208	4	28	19	2205	690	0.34
H-3009	5	31.3	19	2830	730	0.75
H-3209	5	31.3	19	2830	730	0.47

KVS Series Video System

Balance & Stable

Hand-held camera balance system, fully combined with the domestic and international professional shooting requirements and characteristics. Introduced a new high cost-effective DSLR balance system. Greatly makes up the DSLR body antivibration and the inferior durability hand-held defects, and carrying a camera accessories loading platform. Professional manufacturing level, high quality standard, will bring you more flexible, and stable shooting result.



Rotation of matte box.



Combination kits of lens hoods, finder frame and viewing ring. With matte surface treatment. And attached shades with different dimension for different equipment.



Four sizes of field circles for finder frame, make it more flexible and adjustable.



Professional matte box makes framing more accurate

KVS-03

Balance & Stable Video System



KVS-05

Balance & Stable Video System



KVS-06

Balance & Stable Video System



KVS-07

Balance & Stable Video System



V1

Soft hand feeling, accurate focus positioning, focus speedily and conveniently.



V2

Camera ball head with speedy button type can be firmly fixed on the video system faster.



V3

Supported on the shoulder, you can catch any scene by operating the universal handle with two hands.



V4

You can move the whole device to ideal location easily by using the carrying handle.



V5

Humanized design offers you comfortable operation and perfect shooting.



V6

2mm thickness carbon fiber tubes makes the system features by lightweight, stable structure and high strength.

B Series

Ball Head

The B series head is a new lightweight tripod matching head from KINGJOY, which can also be combined with other suitable tripods. The whole is manufactured by CNC high precision forging process, and the surface is manufactured with wear resistance and corrosion resistance. This product has irregular sphere design, double level, damping adjustment system and other designs to meet the photographer's various personalized shooting needs, so that the picture you make more exciting!



B00

Double groove 90 degree design, quickly switch between horizontal shooting and vertical shooting.


Features




Screw locking design, effectively prevent the equipment falling off.



Double level to meet the balance adjustment in different angle shooting.



360° dial design in the bottom, offers convenience for the horizontal position adjustment.



Universal 3/8 screw hole, is applicable to the same specification products.

B Series Ball Head

Model	Material	Ball Diameter	Max.Height	Base Diameter	Lock Hole	Weight	Max.Load	Camera Screw
B00	Aluminum	26	69	41	UNC 3/8"	0.19	6	UNC 1/4"
B10	Aluminum	32	75	48	UNC 3/8"	0.25	8	UNC 1/4"
B20	Aluminum	38	81	54	UNC 3/8"	0.31	10	UNC 1/4"
B30	Aluminum	44	90	60	UNC 3/8"	0.39	12	UNC 1/4"

T Series

Allnew high-end Ball Head

T series ballhead developed by KINGJOY is a low center of gravity gimbal with relatively strong stability and locking force. Especially in photography that supports telephoto lenses, it has obvious advantages. 360° shooting is easy and fast.

The quick release plate with double safety non-slip buttons at both ends gives you stable picture quality and peace of mind when shooting.




T40X

Double groove 90° design, quickly switch between horizontal shooting and vertical shooting.

Features

Low profile Design



Dual Security Quick Release Locking System



Friction System



360°Panoramic Multi-angle Adjustment



T Series Allnew high-end Ball Head

Model	Material	Ball Diameter	Max.Height	Base Diameter	Lock Hole	Weight	Max.Load	Camera Screw
T20X	Aluminum	38	87	51	UNC 3/8"	0.39	20	UNC 1/4"
T30X	Aluminum	44	92	57	UNC 3/8"	0.47	25	UNC 1/4"
T40X	Aluminum	50	99	63	UNC 3/8"	0.58	30	UNC 1/4"
T50X	Aluminum	60	103	69	UNC 3/8"	0.72	35	UNC 1/4"

T Series

Low Profile Ball Head

T Series head is a low gravity head with relatively strong stability and locking force dual characteristics. Which has obvious advantages especially for the camera/video photography that support telephoto lens. 360 degree panoramic shooting, easy and quick operation. The quick release plate adopts both ends dual-insurance non-slip button design make photography more secure and stable.



Double groove 90° design, quickly switch between horizontal shooting and vertical shooting.

Features

Low profile Design

The locking structure is transferred from below the ball to the side of the ball, the overall center of gravity is more 15% lower than the traditional head, increase the stability.

Dual Security Quick Release Locking System

Adopts both ends dual insurance nonslip button design, effectively prevent the equipment from falling off due to head loss.

Friction System

Set your ideal friction by adjusting the main and friction locking knobs, more humanized.

360° Panoramic Multi-angle Adjustment

Offer 360°panning angles adjustment, add flexible shooting range, brings infinite possibilities of photography.



T Series Low Profile Ball Head

Model	Material	Ball Diameter	Max. Height	Base Diameter	Lock Hole	Weight	Max.Load	Camera Screw
T10	Aluminum	32	80	45	UNC 3/8"	0.33	5	UNC 1/4"
T20	Aluminum	38	85	50	UNC 3/8"	0.4	7	UNC 1/4"

G Series

Ball Head

G series ball head is assorted for the new G series tripod, which also can combine with another tripod. Made by the die-casting process, its surface is wear-proof and anti-corrosion. It has an irregular ball design, double level, damping control system, etc, which meets all kinds of photographer needs.



Special groove design provides more range and free options to switch the ball head between horizontal shooting to vertical shooting.

Features



Screw locking design, effectively prevent the equipment falling off.

Double level to meet the balance adjustment in different angle shooting.

360° dial design in the bottom, offers convenience for the horizontal position adjustment.

Universal 3/8 screw hole, is applicable to the same specification products.

G Series Ball Head

Model	Material	Ball Diameter	Max. Height	Base Diameter	Lock Hole	Weight	Max.Load	Camera Screw
G00	Aluminum	26	85	40	UNC 3/8"	0.26	3	UNC 1/4"
G00S	Aluminum	26	85	40	UNC 3/8"	0.26	3	UNC 1/4"
G0	Aluminum	32	90	45	UNC 3/8"	0.3	4	UNC 1/4"
G0S	Aluminum	32	90	45	UNC 3/8"	0.3	4	UNC 1/4"
G1	Aluminum	38	94	50	UNC 3/8"	0.36	5	UNC 1/4"

BD Series

Mini Ball Head

(Hot Shoe Adapter Option)

BD series ball head is featured by compact, most important is its sturdy and stable function. No matter for faster snapping or multi-angle shooting, the innovated single lock knob design offers safer and faster operation performance.



BD-0S



BD-1



360° Rotational Shooting



Standard UNC 1/4 Screw

Standard UNC 1/4 screw design, fit for any well-known brand cameras.



Single Lock Knob Design

Single lock knob design offers easy locking and faster shooting.



3/8" Mounting Hole

The mounting hole of the head utilizes a standard and universal 3/8" threads.

Mini Ball Head(Hot Shoe Adapter Optional)

Model	Ball Diameter	Max. Height	Base Diameter	Lock hole	Weight	Max.Load	Camera Screw
QA-0	16	46	16	UNC 3/8"	0.05	1.5	UNC 1/4"
BD-1	16	55	19	UNC 3/8"	0.08	1.5	UNC 1/4"
BD-0S	16	65	19	UNC 3/8"	0.08	1.5	UNC 1/4"
BD-2	19	/	28	UNC 3/8"	0.07	1.5	UNC 1/4"
BD-3	/	53	28	UNC 3/8"	0.08	1.5	UNC 1/4"
BD-60	/			UNC 3/8"			UNC 1/4"
BD-60S	/			UNC 3/8"	0.11	4	UNC 1/4"

QA/QB Series

Single Lever Ball Head

QB series ball head, excellent processing technology, provides smooth and effortless operation. This series ball head is compact and lightweight meanwhile sturdy and stable. In order to prevent the camera from accidentally falling off, KINGJOY designed a patented dual security knob. The elegant outlook and unique structure design make it outstanding among similar heads. QB series ball heads enjoy high popularity.



Dual Security Quick-release Clamp Design

Quick-release clamp can be automatic reset with dual security knob design. It is for you to mount and dismount the camera. It also prevents the camera from accidental falling off.



Large-sized Irregular Ball Head Design

The large irregular ball design offers better friction control and smooth operation.



3/8" Mounting Hole

The mounting hole of the head utilizes a standard and universal 3/8" thread.



QA-01

QB00

QA/QB Series Single Lever Ball Head

Model	Ball Diameter	Max. Height	Base Diameter	Lock hole	Weight	Max.Load	Camera Screw
QA-01	26	70	40	UNC3/8" UNC1/4"	0.18	4	UNC1/4"
QB00	26	83	40	UNC3/8" UNC1/4"	0.24	4	UNC1/4"
QB10	32	85	48	UNC3/8" UNC1/4"	0.29	5	UNC1/4"
QB20	38	93	52	UNC3/8" UNC1/4"	0.45	6	UNC1/4"
QB30	44	100	60	UNC3/8" UNC1/4"	0.5	8	UNC1/4"

QH Series

High-end Damping Ball Head

QH series ball head is KINGJOY's newly developed high-end damping ball head. The main lock knob and the tension knob are on the same axis, which realizes the real constant friction control. The ball head adopts aviation aluminum, produced by high-precision forging processing, which offers higher stability, stronger locking strength, and flexible and smooth operation.



Friction Control System

The main knob and tension knob on the same axis design makes the real constant friction control come true, convenient and smooth.



Fast Quick-release Knob Design

It adopts dual security non-slip knobs design on the quick-release platform. The standard screw locking clamp device can avoid cameras releasing caused by accidental loosening on spring security knob.



Large-sized Irregular Ball Head Design

The large irregular ball design offers better friction control and smooth operation.



Panoramic Base With 360° Marking

The waterproof and dustproof panoramic base of the ballhead allows full 360° panning, ideal for panoramic photos. The base degree marking can be set accurately.



Damping Adjustment System

The main knob and tension knob on the same axis design makes the real constant friction control come true, convenient and smooth.

QH Series High-end Damping Ball Head

Model	Ball Diameter	Max. Height	Base Diameter	Lock hole	Weight	Max. Load	Camera Screw	QR Plate
QH00	26	87	40	UNC 3/8" UNC1/4"	0.28	6	UNC 1/4"	QR-10
QH10	32	92	47	UNC 3/8" UNC1/4"	0.32	8	UNC 1/4"	QR-10
QH20	38	99	53	UNC 3/8" UNC1/4"	0.48	12	UNC 1/4"	QR-20
QH30	44	110	61	UNC 3/8" UNC1/4"	0.68	18	UNC 1/4"	QR-30
QH40	50	120	70	UNC 3/8" UNC1/4"	0.88	25	UNC 1/4"	QR-30

Q Series

Professional Damping Ball Head

KINGJOY new generation Q series professional damping ball head is made of aviation aluminum and produced by precision CNC machining processing. It brings the innovative improvement on the inner damping adjustment and locking structure, which realizes the real damping adjustment, hardened locking strength and smoother operation.

360° Panoramic Base

Adopt 360 dial scale, provide 360 panning, suitable for split joint/continuous shooting.



Q20



Features

Fast Quick-release Knob Design

It adopts dual security non-slip knobs design on the quick-release plate. The standard screw locking clamp device can avoid cameras releasing caused by accidental loosening on spring security knob.

Large-sized Irregular Ball Head Design

The large irregular ball design offers better friction control and smooth operation.

Friction Control System

The improved friction control system and locking structure provides the real damping adjustment and hardened locking strength.

3/8" Mounting Hole

The mounting hole of the head utilizes a standard and universal 3/8" thread.

Q Series Professional Damping Ball Head

Model	Ball Diameter	Max. Height	Base Diameter	Lock hole	Weight	Max. Load	Camera Screw	QR Plate
Q00	26	77.5	40	UNC 3/8" UNC1/4"	0.26	4	UNC 1/4"	QR-10
Q10	32	83	47	UNC 3/8" UNC1/4"	0.33	5	UNC 1/4"	QR-10
Q20	38	87	52	UNC 3/8" UNC1/4"	0.4	7	UNC 1/4"	QR-20
Q30	44	93	59	UNC 3/8" UNC1/4"	0.5	10	UNC 1/4"	QR-30

V Series

Professional Ball Head

V series professional ball head is made of aviation aluminum and produced by precision CNC machining. Head surface is treated by the anode oxidation, which makes it possess superb performances of non-skid and abrasion resistance. QF series ball head is the most economical and popular series among KINGJOY ball head series. Its key features are simple, quick operation, compact, lightweight, sturdy and stable.



V00



Features

Fast Quick-release knob Design

It adopts dual security non-slip knobs design on the quick-release plate. The standard screw locking clamp device can avoid cameras releasing caused by accidental loosening on spring security knob.

Large-sized Irregular Ball Head Design

The large irregular ball design offers better friction control and smooth operation.

Panoramic Base with 360° Marking

The waterproof and dustproof panoramic base of the ballhead allows full 360° panning, ideal for panoramic photos. The base degree marking can be set accurately.

3/8" Mounting Hole

The mounting hole of the head utilizes a standard and universal 3/8" thread.

V Series Professional Ball Head

Model	Ball Diameter	Max. Height	Base Diameter	Lock hole	Weight	Max. Load	Camera Screw	QR Plate
V00	26	77.5	36	UNC 3/8" UNC1/4"	0.26	4	UNC 1/4"	QR-10
V10	32	83	42	UNC 3/8" UNC1/4"	0.33	5	UNC 1/4"	QR-10
V20	38	87	48	UNC 3/8" UNC1/4"	0.4	7	UNC 1/4"	QR-20



Features:

Al-MA alloy is applicable for professional DSLR cameras;
Fast positioning by loosen/locking one-button system for quick lens focusing;
Hollow high strength aluminium reinforced locking strength to prevent camera nodding;
equipped with damping adjustment system to reduce shaking for stable photos.

KH-6610

Grip Action Ball Head

KH6610 Grip Action Ball Head is an optimized product based on the similar product in the market. It owns the ergonomic grip design, providing the greatest photography experience. The grip has the precise moving / locking feature so as to catch the best time to shoot. The high-performance damping adjustment design reduces abrasion and prolong the life. KH-6610 Grip Head is a perfect accessory for your ball head option.

Grip Action Ball Head--KH-6610

Model	Base Diameter	Lateral Tilt	Frontal Tilt	Pan 360°	Lock hole	Weight	Max. Load	Camera Screw	QR Plate
KH-6610	52	-19° ~ +90°	±90°	Pan 360°	UNC 3/8" UNC1/4"	0.76	5	UNC 1/4"	VR-1

LB Series

Leveling Base Head

LB series is KINGJOY's newest designed leveling base which can be directly equipped with tripods. It is specially utilized in the case of unbalance shooting. The adjustment range is from -10° to +10°, which makes the operation smooth, sturdy and easy to lock.



The Lock hole has upgraded



The bottom with 3/8" threaded insert, 1/4" ~ 3/8" reducer bushing included.

Adjustment Range From -10° to +10°



Speedy adjustment to the leveling position, smooth operation, easy to lock and sturdy.

LB Series Leveling Base Head

Model	Ball Diameter	Max.Height	Base Diameter	Lock Hole	Pan 360°	Weight	Max.Load
LB-60	69	45	60	UNC 3/8"	-10° ~ +10°	0.3	12

VT-1520

Lightweight Video&Bird Watching Pan/Tilt Head

VT-1520 is a professional head that provides multi directional shooting, and compatible with all kinds of camera equipment. Such as SLR, DV, Camera, Mirrorless camera. It adopts ergonomics design, comfortable feeling, professional design.



Features

Quick Release Plate

Move the quick release plate to front and back by outer knob, then locking the position through the inner knob, easy to adjust the distance of shooting.

360° Panoramic Photography

Fluid damping head system, offers 360° panning stable shooting.

Damping Fine Tuning Device

The newest damping fine tuning knob design can set the damping strength easily.

Triple Scale Design

There is scale on the base of the head, the pitch axis and quick release plate, it can make us grasp the shooting angle better.



VT Series Light Video&Bird Watching Pan/Tilt Head

Model	Height	Tilt Angle	Pan Angle	Weight	Max.load	Camera Screw
VT-1520	105	-70° ~ +90°	Pan 360°	0.5	3	UNC 1/4"



VT-3520

VT Series Dual Handle Professional Fluid Head

VT-3520 is a new head for photographic and bird watching which developed by Kingjoy, it is designed to support DV, and also can be used as a positioning telescope for cameras with long focal lenses and digital photography, as well as for cameras with digital astronomy.

It's suitable for bird watching telephoto lens at around 400MM, 600MM, 800MM, etc.



Features

Security Knob

The security knob can prevent the quick release plate from skidding.

Dumping Tension Device

The newest damping tension knob design can set the dumping strength easily.

Pitch Angle Reached -70° to 90°Damping Fluid System

The flexible multi angle shooting space offers great convenience for photography creation.

Adopt Dynamic Balance Knob Design

You can adjust damping fluid between loosen and tightness freely through adjust dynamic balance knob when shooting. It ensures the smooth operation of shooting and make the photography more interesting.



VT Series Light Video&Bird Watching Pan/Tilt Head

Model	Height	Tilt Angle	Pan Angle	Weight	Max.load	Camera Screw
VT-3520	110	-70° ~ +90°	Pan 360°	0.92	4	UNC 1/4"

Professional Video & Bird Watching

Pan/Tilt Head

VT-3550 lightweight video & bird watching pan tilt head is customized designed for bird watchers or HD photographers. It is also suitable for photo and video shoot. It is made of plastic material, strong and light. The overall design is quite ergonomic, pan and tilt all-round control, a variety of functionality. It is compatible with a variety of photographic equipment.



Features



New Damping Security Lock Design

New quick release plate locking design, stronger locking force, assures equipment's safety.



Professional Bubble Level Design

Professional bubble level helps photographers to keep cameras stable during photography.



Dynamic Balance Knob Design

Adjust the dynamic balance knob to make more stable photos.




Security Non-slip Handle Design

Avoid accident during shooting, assure smooth photography.

Professional Video & Bird Watching Pan/Tilt Heads

Model	Max.Height	Frontal Tilt	Pan 360°	Weight	Max.Load	Camera Screw	QR Plate
VT-1510	105	-70° ~ +90°	Pan 360°	0.68	4	UNC 1/4"	DV-1510
VT-2510	130	-70° ~ +90°	Pan 360°	1.29	5	UNC 3/8" UNC 1/4"	KH-6151
VT-3510	100	-70° ~ +90°	Pan 360°	0.92	5	UNC 3/8" UNC 1/4"	KH-6151
VT-3530	126	-70° ~ +90°	Pan 360°	1.85	5	UNC 3/8" UNC 1/4"	KH-6151
VT-3550	187	-85° ~ +55°	Pan 360°	1.72	5	UNC 1/4"	KH-6151
VT-3550M	187	-85° ~ +55°	Pan 360°	1.72	5	UNC 1/4"	KH-6151
KH-6750	100	-70° ~ +90°	Pan 360°	0.51	3	UNC 1/4"	KH-6130



-70° to 90° Damping Fluid System

The flexible multi-angle shooting space offers great convenience for photography creation.





3-way Damping Fluid Head KH-6710

KH series three-way head adopts unique 0-90 degree multi-angle quick release plate, which can meet different photography demands. The hand grip design is in accordance with the ergonomic principle, it provides great stability in panning and tilting. KH series heads are easy and quick to operate in good loading capacity.

Features

Dual Security Quick-release Clamp Design

Quick-release clamp can be automatically reset with dual security knob design. It is for you to mount and dismount the camera. It also prevents the camera from falling off accidentally.

Locking Bar

The ergonomics design of the locking bar brings comfortable operation feeling and suitable friction control.

Multi-angle Ball Head Plate Design

From 0 degree to 90 degree, the multi-angle ball head plate design is fit for multi-angle shooting demands.

360° Panning Head

The full 360° panning head is perfect for shooting panoramic photos.

3-way Damping Fluid Head KH-6720 / KH-6730

KH series three-way head adopts unique 0-90 degree multi-angle quick release plate, which can meet different photography demands. The handgrip design is in accordance with the ergonomic principle, it provides great stability in panning and tilting. KH series heads are easy and quick to operate in good loading capacity.



360° Panning Head

The full 360° panning head is perfect for shooting panoramic photos.

Multi-angle Adjustment

The flexible shooting space offers great convenience for photography creation.



Features

Dual Security Knob Design

It provides quick mounting and dismounting of the camera, which also brings higher locking strength and assures equipment safety.

Locking Bar

The ergonomics design of the locking bar brings comfortable operation feeling and suitable friction control.

Multi-angle Adjustment

The flexible shooting space offers great convenience for photography creation.

360° Panning Head

The full 360° panning head is perfect for shooting panoramic photos.

3-way Damping Fluid Head

Model	Max. Height	Lateral Tilt	Frontal Tilt	Pan 360°	Weight	Max. Load	Camera Screw	QR Plate
KH-6710	63	0° ~ +90°	-30° ~ +90°	Pan 360°	0.32	3	UNC 1/4"	RP-20

3-way Damping Fluid Head

Model	Base Diameter	Lateral Tilt	Frontal Tilt	Pan 360°	Weight	Max. Load	Camera Screw	QR Plate
KH-6720	110	-90° ~ +60°	-15° ~ +90°	Pan 360°	0.47	5	UNC 1/4"	RP-00
KH-6730	130	-90° ~ +60°	-25° ~ +90°	Pan 360°	0.8	12	UNC 1/4"	RP-20



KH-6800 Panoramic Head

KH-6800 series multifunctional panoramic head adopts adjustment high shock resistance and high strength. Its flexibility, diversification, multi-angle adjustment makes it with outstanding performance in the three-dimensional space.

Through the panoramic head, the camera node can be rotated around the longitudinal line on the horizontal surface. It can fix the camera node at a certain position in the three dimensional space. It ensures the pictures which can be used for three-dimensional combination through landscape design software.

Panoramic Head

Specs	Max. Height	Min. Height	Width	Length	Weight	Max. Load
Height before Rotating	343	243	123	323	1.15	6
Height after Rotating	423	315	123	323	1.15	6



KH-6806
Size: L100×W75×H38
Weight: 0.06



KH-6805
Size: L234×W38×H15
Weight: 0.2



KH-6802
Size: φ46×H43
Weight: 0.34



KH-6808
Size: φ64×H32
Weight: 0.24



KH-6803
Size: L200×W86×H40
Weight: 0.18



KH-6801
Size: L200×W38×H15
Weight: 0.14



KH Series

Gimbal Head

KH Series gimbal head is specially designed for heavy telephoto lens. It adopts 360° horizontal accurate rotation and friction, +150° to -70° front-to-back tilt device. With the design of stable vertical up-down view angle, you can snap the image of quick-moving object conveniently when shooting with telephoto lens. It indeed realizes all position shoots.



KH-6900



KH-6900C



Practical Small Platform

Adapting to different equipment, photographers can adjust to get the best status quickly, furthermore it also provides vertical shoot function for lenses without tripod.



3/8" Mounting Hole

3/8" threaded hole at the bottom, matched with K series combined tripod, provide full security for photographers.

Gimbal Head

Model	Material	Dimension	Lock Hole	Weight	Level. Load	Vertical. Load	Camera Screw
KH-6900	Aluminum	240×100×270	UNC 3/8"	1.55	15	20	UNC 1/4"
KH-6900C	Carbon Fiber	230×100×250	UNC 3/8"	1.21	15	15	UNC 1/4"
KH-6900CM	Carbon Fiber	230×100×250	UNC 3/8"	1.21	15	15	UNC 1/4"

KH Series

Telephoto Lens Supporting Bracket


KH series lens-supporting bracket is designed for telephoto lens. The bracket position can be adjusted freely to reach perfect balance under unfixed situation. At the end of the bracket, there is a standard quick release clamp, which can fix the camera and lens on the bracket firmly. The supporting pole is designed by detachable combination, which is more convenient for cameras in different heights and more stable. It can be equipped with 400mm to 800mm telephoto lens.



KH-6809



KH-6811



KH-6810

Practical Mini Plate Design


It is very convenient for photographers to use different equipment like tele-converter. The camera and lens can be adjusted fast to reach better stability.

Free Up-down Adjustment Design

The camera and lens can be fixed on the bracket perfectly at the same time through the adjustable pole.

KH Series Telephoto Lens Supporting Bracket

Model	Dimension	Lock Hole	Weight	Max.Load	Camera Screw
KH-6809	422×64×160	UNC 3/8"	0.53	5	UNC 1/4"
KH-6810	327×120×160	UNC 3/8"	0.76	5	UNC 1/4"
KH-6811	410×85×160	UNC 3/8"	0.62	5	UNC 1/4"



Mini Table Tripod

Tabletop tripod series is a professional mini tripod. It is made of aluminum alloy, small size, portable and lightweight, suitable for small size professional cameras, it can be held directly by hand, table top placed and travel photography, especially offers you a simple and enjoyable shooting while outside.



Selected High-quality Materials

The desktop tripod is made of lightweight carbon fiber and aluminum alloy, and has a suitable texture. Meet the needs of different groups of people, such as high-end beauty, lightness and portability, stability and durability.



Professional & Stable Tripod Body

Designed in accordance with the principles of mechanics, the designed and manufactured structure has good stability, durability and durability.



Low-angle Macro Shooting

In a narrow and special shooting environment, a desktop tripod is an ideal shooting tool. You can use a macro lens to place it on the desktop for super close-up photography.



Non-slip Rubber Feet Design

The foot pads are made of rubber and have non-slip stop performance, which can be used for shooting in rugged and harsh environments.



Liftable Centre Column Design

The desktop tripod adopts the design that the central axis can be raised and lowered, so that the tripod can flexibly adapt to various heights.

Detachable Bottom Bracket Design

Some desktop tripods are designed with a detachable center axis, which allows the tripod to adapt to various heights flexibly.



Universal Spherical Ballhead



Detachable Bearing Plate



Alloy Body



Gravity Hook



SC051—"Joy of Light"
Super Short Travel
Tripod Kits



Patented button adjustment
buckle (Patent No.: 201630299347)



Eccentric Locking
1 Step to control the tube
extended & folded.



Leg Locked System

Patented Locking Instruction (Patent number: z1201520585505.9)



Super Short Travel Tripod Kits

Model	Material	Section	Max.Dia	Extended	Max.H	Min.H	Folded	Weight	Max.load
A16	Aluminum	3	16	860	545	280	280	0.6	4
A18	Carbon Fiber	3	16	710	550	280	275	0.6	4
G028	Aluminum	3	22	735	640	385	250	0.84	10
MM-255+QA-01	Aluminum	5	25	500	/	177	188	0.77	8
P051	Aluminum	5	22	513	/	/	175	0.78	5
SC051	Aluminum	5	22	474	430	230	160	0.52	2

KT Series Table Tripod

The KT series table tripod is a series specially made for professional mini-macro photography. The design is small, portable and quick to install. And it can carry a small professional camera, which is stable and reliable, with small storage and large extension.

It can be directly portable, placed on the desktop for shooting and traveling. Especially when going out for photography, its light and easy-to-use features allow beginner photographers to enjoy the fun of shooting.



K2

KT Series Outdoor Sisplay



KT-00



LC-32



KT-18



KT-100+QA-0



KT-30



KT-40



KT-30S



KT-50



KT-200+BD-1



KT-300+BD-1

KT-600 & KT-600S Flexible Tripod

Fashionable outlook, strong function and humanized design, fits for all kinds of digital camera. It can be safely placed anywhere you want such as rock, branch, barbed wire, fence and so on, beyond geographical restrictions. It has excellent stability without any movement, good hand feeling and compact design, more convenient to bring it outside.



KT-600

Smartphones, DSLR Cameras, GoPro Cameras Universal



KT-600S



Standard UNC1/4" Screw

Standard UNC1/4" screw can be directly mounted on the camera.

Mg-Al Alloy Tripod Body

The tripod body is made of high strength shake-proof Mg-Al alloy, which is treated by high temperature, anti-corrosion and baking varnish coating technology.

Low Angle Marco Shooting, Expand a Mini Object to Grand Image

In the narrow shooting, KT series tripod is a tools, or combine with 50mm len, micro lens for ultra close shooting.

Mini Table Tripod

Model	Material	Extended	Folded	Weight	Max. Load
KT-00	Aluminum	100	125	0.15	0.5
K2	Aluminum	174	105	0.24	3
KT-18	ABS	102	148	0.08	0.5~2.0
KT-26	ABS	110	77	0.09	2
KT-30	Aluminum	55.1	132	0.08	3
KT-30S	Aluminum	105	190	0.13	3
KT-36+BD-3S	ABS	285	132	0.16	2
KT-40	Aluminum	45	180	0.1	3
KT-50	Aluminum	100	185	0.12	3
KT-60	Aluminum	198	220	0.34	5
KT-100+QA-0	Aluminum	105	190	0.2	2.7
KT-200+BD-1	Aluminum	365	252	0.3	2.7
KT-300+BD-1	Aluminum	435	295	0.35	2.7
KT-500+BD-50	ABS	330	255	0.2	2
KT-600	ABS	255	265	0.14	0.5
KT-600S	ABS	275	280	0.15	0.5
KT-660+BD-50	ABS	390	330	0.33	2

Camera Extension Selfie Stick

H100D-63

H100D-63 is a multi function selfie stick and it can be 360° rotated. It can adjust the angle by adjustment knob, with the stretch adjustable design, to make you shoot a wonderful picture.



90° Grooved Ball Head



Hidden Locking System



1/4" Universal Screw hole Eccentric Tube



1/4" Universal Screw Hole Base

Kingjoy's Patented Fast-lock Design Selfie Stick (Patented number: z1201520585505.9)

Kingjoy develops the extremely fresh and ideal selfie sticks. It not only meets the needs of users but also keeps its unique characteristic. Pursuing high-end user experience, allowing users to feel full freshness is the purpose of developing this patented selfie stick.



Wireless Bluetooth selfie stick

Innovative and improved operation, stable operation, buttons can be separated design, long-range control.



Angle Shooting

270° ultra big adjustment range, shooting the most beautiful yourself.

P075-63C

Patented 360° Rotation L Bracket Selfie Stick (Patented number: z1201420248817.6)

Kingjoy patented Selfie Stick with rotation L bracket is a newly designed pole. The user can rotate the grip handle to control the movement of L bracket mount. The smart and creative rotation design can greatly increase the operation experience. It really meets the taste of teenagers and outdoor athletes. The 360° rotation can offer super wide angle shooting. The 4-section telescopic pole can take perfect shots as you want.



Can use with LC-22

Carbon Fiber Light Outdoors

GoPro Camera & Smartphone Selfie Stick

GOPRO camera and mobile selfie stick is a photography product specially designed for selfie. The extendable pole is made of carbon fiber, with elegant and fashionable appearance. Compatible with GOPRO cameras in the market, it provides you a new photography experience by playing and enjoying selfie.



K105-37C+LC-09

Hotsale & Upscale Selfie Stick

Model	Material	Section	Max.Diameter	Extended	Folded	Weight	Max.Load
H100D-63	Aluminum	6	25	1000	230	0.26	1
P071-63	Aluminum	6	25	720	190	0.18	1
P075-63C	Carbon Fiber	6	25	740	220	0.115	1
P083-46L	Aluminum	4	25	838	370	0.34	1
P087-36L	Aluminum	3	2	880	432	0.36	1
P087D-36L	Aluminum	3	22	880	435	0.37	1
K105-37C+LC-09	Carbon Fiber	3	22	1050	410	0.22	1
K116-37C+LC-09	Carbon Fiber	3	22	1162	522	0.33	1
K116-37+LC-09	Aluminum	3	22	1162	522	0.5	1

Selfie Stick Series



H096B

GoPro Buckle Design

Patented Direct GoPro Accessory, 180° Swivel Head.



GoPro Cameras



DSLR Cameras



Smartphone



H050



H096



H110



H096-43




ECO-Friendly Material ROHS/REACH Standard.



High Strength Aluminum, Telescopic Pole, No shaking.



Colorful Stick, Weather Resistant.



Foam or Rubber Grip with a Comfortable and Soft Touch, Adjustable Wrist Strap.



Selfie Stick with Integrated or Separative Remote Control, Easy to Use.



1/4" Threaded Insert on the Pole Bottom to Connect Attachments or Mount to Tripods.

Smart Selfie Stick Series

Model	Section	Max.Dia	Extended	Folded	Weight	Max.Load
M030	4	/	297	174	0.199	1.5
H050	4	22	480	190	0.12	1
H096	4	22	960	315	0.14	1
H110	4	22	1100	350	0.18	1
H070-60	6	25	725	200	0.2	1
H070-63	6	25	725	200	0.2	1
H082-73	7	27	825	195	0.19	1
H092-41	4	22	930	300	0.13	1
H096-43	4	22	955	310	0.17	1
H096-50	5	22	960	260	0.14	1
H117-57	5	25	1135	288	0.18	1
F096-40	4	22	1010	350	0.21	1
F096-52	5	25	1000	330	0.31	1
F090-42	4	22	930	315	0.239	1
H096B	4	22	960	315	0.27	1
H096B-50	5	22	960	260	0.23	1
H096S-40	4	22	960	315	0.16	1
H097S-50	5	22	970	270	0.17	1

H096-50

H117-57

H096B

H096B-50



F096-40



F096-52




F090-42

MK series

Flip Locked Tripod Kits

MK series classic wrench tripod is designed for beginner photography enthusiasts, especially middle-aged and elderly photographers. It adopts an innovative magnesium aluminum alloy external pull-out angle adjustment structure design, when using, you only need to pull the buckle outward to easily and quickly adjust the high, medium and low three shooting angles, to meet the needs of 360° shooting, at the same time, the newly designed double concave tube and humanized buckle combination, effectively enhance the locking force, and make the locking easier, more stable locking.



High Strength Forged Aluminum Tripod Body

High Strength Forged Aluminum Tripod Body

3-Angle Leg Angle Adjustor

Leg locking system

Low-angle Macro Shooting

MK Series Aluminum Tripods

Model	Material	Section	Max.Dia	Min.Dia	Extended	Max.H	Min.H	Folded	Weight	Max.Load
MK-227+QB-0	Aluminum	3	22	16	1415	1050	275	580	1.33	6
MK-228+QB-0	Aluminum	4	22	13	1453	1189	250	508	1.32	6
MK-257+QB-0	Aluminum	3	25	19	1565	1300	285	623	1.48	8
MK-258+QB-0	Aluminum	4	25	16	1535	1275	260	535	1.46	8
MK-287+QB-1	Aluminum	3	28	22	1669	1415	302	679	1.87	10
MK-288+QB-1	Aluminum	4	28	19	1659	1402	285	580	1.86	10
MK-317+QB-2	Aluminum	3	31	25	1773	1518	313	721	2.15	12
MK-318+QB-2	Aluminum	4	31	22	1793	1538	285	622	2.18	12

AK/CK Series

Twist Locked Tripod Kits



3-Angle Leg Angle Adjustor Detachable Spiked Feet

Leg locking system Low-angle Macro Shooting

Classic AK/CK series is KINGJOY's heavy-duty professional knob tripod, it adopts an innovative magnesium aluminum alloy external pull-out angle adjustment structure design, just slightly pull the buckle outward can easily and quickly adjust the high, medium and low three shooting angles, to meet the needs of 360 ° shooting, at the same time, the legs adopt a new and improved integrated linkage spiral locking structure design, with dustproof and waterproof, fast, smooth quality and characteristics, It is more suitable for professional photography enthusiasts who create outdoors in various photographic environments.

CK Series Carbon Tripods

Model	Material	Section	Max.Dia	Min.Dia	Extended	Max.H	Min.H	Folded	Weight	Max.Load
AK-317+QE-2	Aluminum	3	31	22	1976	1723	335	795	2.85	20
AK-318+QE-2	Aluminum	4	31	19	1903	1648	293	665	2.76	20
AK-207+QB-00	Aluminum	3	20	12	1580	1320	280	620	1.51	6
AK-208+QB-00	Aluminum	4	20	10	1530	1270	260	530	1.44	6
AK-257+QB-0	Aluminum	3	24	16	1690	1420	300	670	1.85	10
AK-258+QB-0	Aluminum	4	24	12	1620	1360	270	560	1.69	10
AK-287+QB-1	Aluminum	3	28	20	1820	1560	320	720	2.37	12
AK-288+QB-1	Aluminum	4	28	16	1760	1510	280	600	2.28	12
CK-227+QE-0	Carbon Fiber	3	22	16	1558	1316	288	623	1.23	8
CK-228+QE-0	Carbon Fiber	4	22	13	1538	1293	257	527	1.24	8
CK-257+QE-0	Carbon Fiber	3	25	19	1690	1450	305	670	1.41	12
CK-258+QE-0	Carbon Fiber	4	25	16	1620	1360	265	560	1.39	12
CK-287+QE-1	Carbon Fiber	3	28	22	1815	1564	320	723	1.71	15
CK-288+QE-1	Carbon Fiber	4	28	19	1756	1503	284	604	1.74	15
CK-317+QE-2	Carbon Fiber	3	31	22	1977	1725	340	795	2.04	18
CK-318+QE-2	Carbon Fiber	4	31	19	1871	1623	295	645	2.02	18

FC-FA Series

Courageous Professional Tripod

Courageous FA/FC professional tripod has a novel appearance and beautiful shape, which not only adopts an innovative magnesium and aluminum alloy external pull-out angle adjustment structure design, but also meets the needs of high, medium and low angle shooting. Moreover, the newly designed tripod lock buttons can adjust the locking force system, whether in terms of physique or service life, the user can adjust the locking force appropriately according to their own needs, making it timeless, and the alloy foot lock is also extremely durable. This series of tripods is more suitable for professional photographers who create in outdoor, travel, sports snap and capture environments.



FC-227

High Strength Forged Aluminum Tripod Body
High Strength Forged Aluminum Tripod Body
3-Angle Leg Angle Adjustor
Leg locking system
Detachable Spiked Feet

FC Series Carbon Tripods

Model	Material	Section	Max.Dia	Min.Dia	Extended	Max.H	Min.H	Folded	Weight	Max.Load
FA-227+QE-0	Aluminum	3	22	13	1576	1330	290	655	1.82	8
FA-257+QE-0	Aluminum	3	25	19	1630	1360	292	680	1.91	12
FA-258+QE-0	Aluminum	4	25	16	1665	1420	285	605	2.13	12
FA-287+QE-1	Aluminum	3	28	22	1757	1505	313	722	2.59	15
FA-288+QE-1	Aluminum	4	28	19	1757	1505	293	639	2.62	15
FA-327+QE-2	Aluminum	3	31	25	1988	1737	345	810	3.14	18
FC-227+QE-0	Carbon Fiber	3	22	16	1535	1330	290	655	1.52	8
FC-257+QE-0	Carbon Fiber	3	25	19	1665	1420	292	680	1.59	12
FC-258+QE-0	Carbon Fiber	4	25	16	1665	1420	285	605	1.68	12
FC-287+QE-1	Carbon Fiber	3	28	22	1757	1505	313	722	1.93	15
FC-288+QE-1	Carbon Fiber	4	28	19	1710	1505	293	639	2	15
FC-317+QE-2	Carbon Fiber	3	31	22	1985	1735	345	813	2.23	18
FC-318+QE-2	Carbon Fiber	4	31	19	1884	1630	310	677	2.33	18

Lightweight BT Series Flip Locked Tripod

The lightweight BT series wrench tripod adopts the popular 180-degree reversible folding and retracting design, which reduces the shrinkage space of the tripod. The metal parts of the tripod are made of high-strength magnesium aluminum alloy die-casting, which has the characteristics of light weight, good vibration absorption and damping, high strength and high rigidity. Moreover, the combination of the newly designed double concave tube and the humanized buckle effectively enhances the locking force, and makes the locking easier and more stable. This series of tripods is more suitable for photography enthusiasts who create in outdoor, traveling, and capture environments.



BT-228



High Strength Forged Aluminum
Tripod Body

High Strength Forged Aluminum
Tripod Body

3-Angle Leg Angle Adjustor

Leg locking system

Low-angle Macro Shooting

Reversible Center Column

BT Series Aluminum Tripods

Model	Material	Section	Max. Diameter	Min. Diameter	Extended	Max.H	Min.H	Folded	Weight	Max.Load
BT-228+QB-0T	Aluminum	4	22	13	1423	1210	210	400	1.26	6
BT-258+QB-0T	Aluminum	4	25	16	1546	1275	215	430	1.68	8
BT-288+QB-1T	Aluminum	4	28	19	1665	1410	220	465	1.91	10
BT-258B+QB-00T	Aluminum	4	25	16	1540	1300	215	430	1.45	3

LC Series Accessories

Phone Holder

Unit: mm



Model : LC-09
Size : H050, H096



Model : LC-12



Model : LC-12S



Model : LC-15



Model : LC-21

Phone Holder

Unit: mm



Model : LC-22



Model : LC-23



Model : LC-26



Model : LC-30

Bluetooth Remote Control

Unit: mm



Model : LC-11



Model : LC-16



Model : LC-20

Accessories



Model : LC-09
Size : 50
For : H096



Model : LC-09S
Size : 50
For : H096



Model : LC-33



Model : LC-34



Model : LC-35

Unit: mm

Accessories



Model : LC-28



Model : MS-01

Unit: mm

Loading Plate



Loading Plate



Quick Release Plate



Quick Release Plate



Loading Plate



Accessories




Accessories





Accessories







Model Number Naming Rule



Tube Code	Tube Diameter
0	φ 22
1	φ 25
2	φ 28
3	φ 31
4	φ 34
5	φ 39
6	φ 44



Ball Code	Ball Diameter
1	φ 26
2	φ 32
3	φ 38
4	φ 44
5	φ 50

Products Type

A	"Aurora" Tripods	KT	Mini Table Tripods	Q/QA/QB/QH	Ball Head
BT/P/SC/SF	Lightweight Tripods	KVS	Balance & Stable Video System	QR/QP/DV/RP/KH	Quick Release Plates
F	Multi-functional Tripods	LA	Light Stands Bracket and Studio Accessories	T	Low Gravity Center Ball Head
G	Tripod Kits	LB	Leveling Base Heads	VM	Jib Cranes&Sliders
H	Selfie Sticks	LC	Phone Clamps	VS	Hand Held Stabilizer
HS	Damper	LP	Loading Plates	VT	Video Tripods&Heads
K	Heavy Duty Pro Tripod	MC	Pivot Arms	VX	Tripod Dollies
KH	Photography/Video Heads and Accessories	MP	Monopods		

KINGJOY

Enjoy Your Life

GUANGDONG KINGJOY TECHNOLOGY CO., LTD.

Add.: No.5, Huanzhou Heng Lane, Tanzhou Town, Zhongshan City,
Guangdong Province, China.

Postal Code: 528467

Tel: +86 0760-86283558 86289857

Email: zhbff@126.com

Website: <http://www.cnkingjoy.com/en/>

Ebay Online Shop: <http://stores.ebay.com/kingjue888>

Aliexpress Online Shop: <https://kingjoy.aliexpress.com>

Amazon Online Shop: <http://www.amazon.com/shops/kingjoy-direct/>



Website



Tmall